企业文化：质量、诚信、责任、感恩

产品理念：品质优秀，价格合理，服务及时，信誉至上

制造理念：对产品快速反应、对质量一丝不苟、对管理精益求精

手册中产品为公司部分代表产品，具体详细的产品型号和装配参数信息请咨询当地授权经销商。也可以登录公司网站查询。

UNIONLEVER

ISO
通过ISO9001质量管理体系认证





质量服务电话：

0532-83891351

青岛鼎联金属制品有限公司

Qingdao Unionlever Metal Products Co., Ltd

鼎联国际集团 ISO 9001

UNIONLEVER INTERNATIONAL GROUP LIMITED

UNIONLEVER METAL PRODUCTS CO.,LTD.

: 0086-532-83891351

ıail: caster@unionlever.com

bsite: www.unionlevermetal.com

www.unionlever.en.alibaba.com







新厂规划效果图

公司简介

青岛鼎联金属制品有限公司位于秀丽的海滨城市-青岛，地处交通方便的济青高速路收费口，城阳高架桥以北，即墨大信工业园内，目前占地20亩，企业拥有10000平方米的现代化厂房，2000平方米的办公和职工公寓宿舍楼，公司目前员工近200人，注册资金800万元。2015年公司新征地40亩，预计2017年建成投入使用。

我公司专业生产各种规格的工业脚轮、物流脚轮、铸造产品、货仓车、工业小推车、PU浇注轮、发泡轮、气胎轮等。目前公司拥有自动铸造流水线1条，先进的PU轮浇注生产流水线2条，16台半自动车床，硫化车间有16台硫化设备，电脑精密预成型机1台，橡胶密炼机1台，开炼机1台，注塑车间拥有5台全自动注塑机，冲压车间拥有从50吨到400吨设备共25台，自动焊接机10台，2014年自己投资建立电镀车间，保证所有产品都是环保镀锌，并且可以根据客户需要选择耐盐雾试验的时间。目前日加工能力能达到20000个。

公司于2011年成立子公司巨昌专用车辆有限公司，专业生产各种小推车、货仓车、气胎轮、发泡轮等。

公司于2013年通过了ISO9001：2008质量管理体系认证，2016年成功取得2015换版认证，并取得证书。公司始终严格按照ISO9001体系进行规范管理，与国际接轨，全面提高管理水平，有效保证产品质量的稳步提高。

公司以**“品质优秀，价格合理，服务及时，信誉至上”**的产品理念赢得市场。为了更好的满足广大客户的需求,我们将以“对产品快速反应、对质量一丝不苟、对管理精益求精”的制造理念，以“质量、诚信、责任、感恩”的企业文化，以“团结合作、互利共赢”的合作态度，不断满足客户需求，达到顾客满意。

服务承诺：第一：电话或QQ、邮箱咨询，2小时内反馈；第二：如果客户有紧急订单，大世将承诺一天发货。“一天”，这是全行业没有的速度。正是因为大世公司拥有轮子生产的全部工序：铸造------车加工------PU轮浇注；支架生产的全工序：冲压----焊接----抛丸----电镀-----铆合------组装，所以我们敢于承诺最快速度，敢于承诺紧急情况一天供货。

公司的经营方针：“以质量求生存、以创新求发展、靠信誉赢市场”，质量方针：**“优质高效、诚信经营，供顾客满意产品；持续改进、以人为本，创大世著名品牌”**。公司将在经营方针和质量方针的引导下，一步一个脚印的向专业化国际大公司发展。

COMPANY PROFILE

Qingdao Unionlever Metal Productslocated in the beautiful coastal city Qingdao, nearby Jiqing Highway Toll Gate, north of Chengyang Fly-over Bridge, inside of Jimo Daxin Industrial Park. Our factory covers total an area of 20 Mu (Approximate 13,334 square meters) , among this area modernized factory covering an area of 10,000 square meters, office and staff residential buildings covering about 2,000 square meters. Company owns nearly 200 employees with registered capital 8 million RMB. In 2015, company acquired further 40 Mu (Approximate 26,667 square meters) for plant expansion, and new production line will start up in 2017.

As a professional manufacturer, we manufacture various specifications of industrial casters, casting products, logistics casters, hand trolley, industrial small handcart, casting PU wheel, foaming wheel, pneumatic tyre etc. Currently we have 1 set of automatic casting production line, 16 sets of semi-automatic lathe machine, 16 sets of vulcanization equipment, 1 set of computerized precision preformer machine, 1 set of rubber mixer, 1 set of rubber rolling mill, 5 set of advanced fully automatic molding machine , 25 set of stamping equipment with capacity from 50 tons to 400 tons, 10 set of automatic welding machine. In 2014, we built our own electro-plating workshop, in order to make sure that all our products with environmental galvanization. We can also control the period of salt spray test according to customer's request. The processing capacity can reach 20,000 pieces daily.

Our subsidiary company Juchang Special Vehicles Co.,Ltd. was established in 2011, specializing in production of various small hand carts, warehouse vehicles, pneumatic wheels and foam wheels, etc.

We passed the ISO9001: 2008 quality management system certification in 2013, and successfully get renewed certificate in 2016. We are always strictly following the ISO9001 standard to stander our management, in line with international norms, enhancing our management to effectively assure our products quality upgrading.

Company owns sound reputation in the markets by the concept of "Excellent Quality, Reasonable Price, Timely Service, Reputation Priority " We try our best to satisfy our customers by following principles,
Manufacturing Conception: Quick action for order, Strict in Quality, Keep improving in Management.
Corporate Culture: Quality, Honesty, Responsibility, Thanksgiving.
Cooperative Principle: Solidarity and Cooperation, Mutual Benefit and Win-Win.

Service Promise:
1.) Inquiry from telephone, email or QQ, we promise to feedback within 2 hours;
2.) For urgent orders, we can promise delivery in one day. "Delivery in One day", this is our exclusive promise in this industrial. Because we own the full set production line of wheel: cast–machining – the pouring of PU wheel and the full set production line of wheel holder: punching press, welding, sand blasting, electroplating, riveting, assembly. This is the reason we can promise this fast delivery in one day.

Company Management Principle: 'Survive with Quality, Develop with Innovation, Winning market with Credibility'. Company Quality Principle: 'With high quality products , efficient work and credit management to provide customer satisfied products. With continuous improvement, people-oriented concept to build DASHI into a well-known brand". Under guidance of these management principle and quality principle, we are growing into a professional and global company.

Contents

1 双轮脚轮
Twin wheel casters series
Page 6-13



2 家具脚轮
Casters for furniture series
Page 14-25



3 仪器轮
Instrumental casters series
Page 26-41



4 肥仔脚轮
Casters for fat type series
Page 42-45



5 全塑脚轮
All plastic casters series
Page 46-52



6 推车轮
casters for trolley series
Page 53-61



7 欧式工业轮
Industrial casters for European type series
Page 62-81



8 普通工业轮
Industrial casters for general type series
Page 82-90



9 医疗脚轮
Medical casters series
Page 91



10 加厚支架工业轮
Industrial casters of thick housing series
Page 92-95



11 中型脚轮
Medium duty casters series
Page 96-105



12 垃圾箱轮
Casters for garbage bin series
Page 106-107



13 不锈钢轮
Stainless steel casters series
Page 108-114



14 冲压支架重载轮
Heavy duty casters with pressed steel housing series
Page 115-119



15 焊接支架重载轮
Heavy duty castors with welding steel housing series
Page 120-127



16 其它系列脚轮
Casters for other type series
Page 128-132



Rules of caster code:

① ② ③ — ⑤ ⑥ ☐ × ☐ ⑦④

Additional code for bracket or wheel

A,B,... means different type of same style, except D means "twin wheel caster", Q means "ball caster"

Roman numbers: secondary style of same bracket;
Arabic numbers: secondary style of same braking way;
Letters: Z-single brake; S-double brake;

Width of hub

mm

Wheel diameter

mm

Wheel rotating friction form

B-unitary bearing; C-sliding bearing;
D-roller bearing; E-single ball bearing;
F-double ball bearings; H-cylindrical roller bearing;
I-thrust ball bearing; J- tapered roller bearing;

Wheel material code

06—thermoplastic poly urethane(TPU);
11-steel+regenerated rubber;
12-steel+natural rubber;
13-steel+elastic rubber;
15-steel+pneumatic tire;
16-steel+thermoplastic poly urethane(TPU);
17-steel+ rubber powder;
18-steel+electro-conductive rubber;
20-nylon (PA);
21-nylon(PA)+regenerated rubber;
22-nylon(PA)+natural rubber;
23-nylon(PA)+elastic rubber;
26-nylon(PA)+thermoplastic poly urethane(TPU);
30-polypropylene(PP);
31-polypropylene (PP) +regenerated rubber;
32-polypropylene(PP)+natural rubber;
33-polypropylene(PP)+elastic rubber;
34-polypropylene(PP)+thermoplastic rubber/ thermoplastic elastomer(TPR/TPE);
35-polypropylene(PP)+polyvinyl chloride(PVC);
36-polypropylene(PP)+thermoplastic poly urethane(TPU);
37-polypropylene(PP)+ rubber powder;
38-electro-conductive polypropylene (PP) +electro-conductive TPR/TPE;
39—antistatic polypropylene + antistatic thermoplastic rubber/ thermoplastic elastomer (TPR/TPE);
40-cast iron; 41-cast iron+regenerated rubber;
42-cast iron+natural rubber;
46-cast iron+thermoplastic poly urethane(TPU);
51-sandwich wheel;
53-hard rubber;
55-ABS;
57-polystyrene(PS);
61-phenolic;
63-polyarylsulfone;
65-silica gel;
70-cast aluminium;
73-cast aluminium+elastic rubber;
76-cast aluminium + thermoplastic poly urethane (TPU);

Bracket Serial Number

00-99


Bracket Code

1-stamped style; 5-injection style; 7-welded style; 9-casting style;

Bracket Code

P-swivel with top plate; L-Threaded stem swivel;
C-swivel with socket; G-Bolt hole swivel;
D-fixed; U-U shape; T-special type

Example: **P112-12D100×30AS**



脚轮新编号规则

① ② ③ — ⑤ ⑥ ☐ × ☐ ⑦④

车轮或支架附加代号

A、B、…，表示异型（D 表示双轮，Q 表示球轮）

最大两位，其中：
第 1 位：罗马数字－同种支架系列的不同小类；同种制动方式的不同小类；
第 2 位：Z －单制动； S －双制动；

轮辋宽

mm

轮径

mm

转动摩擦方式代号

B －整体式； C －轴套式； D －滚针轴承式；
E －单滚珠轴承式； F －双滚珠轴承式； G －球轴承式；
H －圆柱滚子轴承式； I －推力球轴承式； J －圆锥滚子轴承式；

车轮材料代号

06—聚氨酯（TPU）；
11 －钢芯 + 再生橡胶；
12 －钢芯 + 天然橡胶；
13 －钢芯 + 弹力胶；
15 －钢芯 + 充气轮胎；
16 －钢芯 + 聚氨酯（TPU）
17 －钢芯 + 胶粉；
18 －钢芯 + 导电橡胶；
20 －尼龙（PA）；
21 －尼龙 (PA)+ 再生橡胶；
22 －尼龙 (PA)+ 天然橡胶；
23 －尼龙 (PA)+ 弹力胶；
26 －尼龙 (PA)+ 聚氨酯 (TPU)；
30 －聚丙烯 (PP)；
31 －聚丙烯（PP）+ 再生橡胶；
32 －聚丙烯（PP）+ 天然橡胶；
33 －聚丙烯（PP）+ 弹力胶；
34 －聚丙烯（PP）+ 弹性体（TPR、TPE）；
35 －聚丙烯（PP）+ 聚氯乙烯 (PVC)；
36 －聚丙烯（PP）+ 聚氨酯 (TPU)；
37 －聚丙烯（PP）+ 胶粉；
38 －导电聚丙烯（PP）+ 导电弹性体（TPR、TPE）；
39 －防静电聚丙烯（PP）+ 防静电弹性体（TPR、TPE）；
40 －铸铁；
41 －铸铁 + 再生橡胶；
42 －铸铁 + 天然橡胶；
46 －铸铁 + 聚氨酯 (TPU)；
51 －三文治；
53 －硬橡胶；
55 － ABS；
57 －聚苯乙烯 (PS)；
61 －酚醛；
63 －聚芳砜；
65 －硅胶；
70 －铸铝；
73 －铸铝 + 弹力胶；
76 －铸铝 + 聚氨酯 (TPU)；

支架系列序号

00-99


支架系列代号

1 －冲压式； 5 －注塑式； 7 －焊接式； 9 －铸锻式；

大类代号

P －导向平板型； L －导向螺钉型； C －导向插销型；
G －导向光孔型； D －定向型； U －无轴型； T －特型

例如：P112-12D100X30AS



双轮脚轮
Twin wheel casters series

尼龙双轮　Nylon casters　36mm

- Steel housing with zinc plating
- Swivel plate caster / Swivel plate with single brake caster / Swivel screw caster / Swivel screw with single brake caster
- Nylon wheel, plain bearing



											CODE
1.4"	36	15	▬	40	54	35	7	68×48×2	54×25	2	P190-20B036×15D



											CODE
1.4"	36	15	▬	40	54	30	7	68×48×2	54×25	2	P190-20B036×15DZ



										CODE
1.4"	36	15	▬	40	54	35	M10	15	2	L190-20B036×15D



										CODE
1.4"	36	15	▬	40	54	30	M10	15	2	L190-20B036×15DZ

塑料双轮　Plastic casters with double wheels 50mm

- Steel housing with zinc plating
- Swivel plate caster/Swivel plate with brake caster/Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster
- PP & Nylon wheel, plain bearing, PP wheel code:30B, nylon wheel code: 20B
- PP 或尼龙轮 , PP 轮货号 :30B, 尼龙轮货号 :20B



											CODE
2"	50	17	▬	50	72	26	6.3	60×60×2	43×43	2	P190-30B050×17D
2"	50	17	▬	60	72	26	6.3	60×60×2	43×43	2	P190-20B050×17D



											CODE
2"	50	17	▭	50	72	26	6.3	60×60×2	43×43	2	P190-30B050×17DS
2"	50	17	▭	60	72	26	6.3	60×60×2	43×43	2	P190-20B050×17DS



										CODE
2"	50	17	▬	50	72	26	M10	15	2	L190-30B050×17D
2"	50	17	▬	60	72	26	M10	15	2	L190-20B050×17D



										CODE
2"	50	17	▬	50	72	26	M10	15	2	L190-30B050×17DS
2"	50	17	▬	60	72	26	M10	15	2	L190-20B050×17DS



									CODE
2"	50	17	▬	50	72	26	10.1	2	G190-30B050×17D
2"	50	17	▬	60	72	26	10.1	2	G190-20B050×17D



									CODE
2"	50	17	▬	50	72	26	10.1	2	G190-30B050×17DS
2"	50	17	▬	60	72	26	10.1	2	G190-20B050×17DS

双轮脚轮
Twin wheel casters series

TPR 双轮　TPR casters with double wheels 50mm

- Steel housing with zinc plating
- Swivel plate caster/Swivel plate with brake caster/Swivel screw caster/Swivel screw with brake caster/ Swivel bolt hole caster/Swivel bolt hole with brake caster
- TPR wheeL tread,plastic wheel center, plain bearing



											CODE
2"	50	20		50	72	26	6.3	60×60×2	43×43	2	P190-34B050×20AD



											CODE
2"	50	20		50	72	26	6.3	60×60×2	43×43	2	P190-34B050×20ADS



											CODE
2"	50	20		50	72	26	M10	15	2		L190-34B050×20AD



											CODE
2"	50	20		50	72	26	M10	15	2		L190-34B050×20ADS



										CODE
2"	50	20		50	72	26	10.1	2		G190-34B050×20AD



										CODE
2"	50	20		50	72	26	10.1	2		G190-34B050×20ADS

双轮脚轮
Twin wheel casters series

塑料轮　Plastic casters 50mm

- Pressed steel housing with zinc plating
- Swivel plate caster/Swivel plate with brake caster/Swivel screw caster/Swivel screw with brake caster
- PP & Nylon wheel, plain bearing, PP wheel code:30B, nylon wheel code:20B



											CODE
2"	50	30		60	72	26	6.3	60×60×2	43×43	2	P190-30B050×30
2"	50	30		70	72	26	6.3	60×60×2	43×43	2	P190-20B050×30



											CODE
2"	50	30		60	72	26	6.3	60×60×2	43×43	2	P190-30B050×30S
2"	50	30		70	72	26	6.3	60×60×2	43×43	2	P190-20B050×30S



										CODE
2"	50	30		60	72	26	M10	15	2	L190-30B050×30
2"	50	30		70	72	26	M10	15	2	L190-20B050×30



										CODE
2"	50	30		60	72	26	M10	15	2	L190-30B050×30S
2"	50	30		70	72	26	M10	15	2	L190-20B050×30S



白塑料轮 / 整体式
Wheel code:30B
Wheel made of
polypropylene
no steel bush



白尼龙轮 / 整体式
Wheel code:20B
Wheel made of
nylon
no steel bush

双轮脚轮
Twin wheel casters series

塑料双轮　Plastic casters with double wheels 50mm

- Steel housing with zinc plating
- Swivel plate caster/Swivel screw caster/Swivel bolt hole caster
- PP & Nylon wheel, plain bearing
- PP 或尼龙轮 ,PP 轮货号 :30B, 尼龙轮货号 :20B



											CODE
2"	50	19		50	74	30	6.3	60×60×2	43×43	2	P191-30B050×19D
2"	50	19		60	74	30	6.3	60×60×2	43×43	2	P191-20B050×19D



										CODE
2"	50	17		50	72	14	M10	15	2	L192-30B050×17D
2"	50	17		60	72	14	M10	15	2	L192-20B050×17D



									CODE
2"	50	19		50	71	30	10.1	2	G193-30B050×19D
2"	50	19		60	71	30	10.1	2	G193-20B050×19D

双轮脚轮
Twin wheel casters series

TPR 双轮　TPR casters with double wheels 75mm

- Steel housing with yellow zinc plating
- Swivel plate caster/Swivel plate with brake caster



											CODE
3"	75	25		80	102.5	28	6	65×55×3	51×41	2.5	P190-34E075×25A I D



										CODE
3"	75	25		80	102.5	28	6	65×55×3	51×41	2.5	P190-34E075×25A I DZ



TPR 轮 / 滚珠轴承
Wheel code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, ball bearing

双轮脚轮
Twin wheel casters series

塑料双轮　Plastic casters with double wheels 75mm

- Steel housing with zinc plating
- Swivel plate caster/Swivel plate with brake caster/Swivel screw caster/Swivel screw with brake caster



				kg							CODE
3"	75	23		70	102	28	6	65×55×3	51×41	2.5	P190-30B075×23D
3"	75	23		80	102	28	6	65×55×3	51×41	2.5	P190-20B075×23D



				kg							CODE
3"	75	23		70	102	28	6	65×55×3	51×41	2.5	P190-30B075×23DS
3"	75	23		80	102	28	6	65×55×3	51×41	2.5	P190-20B075×23DS



				kg					CODE
3"	75	23		70	99	28	10.5	2.5	G190-30B075×23D
3"	75	23		80	99	28	10.5	2.5	G190-20B075×23D



				kg					CODE
3"	75	23		70	99	28	10.5	2.5	G190-30B075×23DS
3"	75	23		80	99	28	10.5	2.5	G190-20B075×23DS



黑塑料轮 / 整体式
Wheel Code: 30B
Wheel made of
polypropylene
no steel bush



黑尼龙轮 / 整体式
Wheel Code: 20B
Wheel made of
nylon
no steel bush

双轮脚轮
Twin wheel casters series

TPR 双轮　TPR casters with double wheels 75mm

- Steel housing with zinc plating
- Swivel plate caster/Swivel plate with brake caster/Swivel screw caster/Swivel screw with brake caster



				kg							CODE
3"	75	23		70	102	28	6	65×55×3	51×41	2.5	P190-34C075×23D



				kg							CODE
3"	75	23		70	102	28	6	65×55×3	51×41	2.5	P190-34C075×23DS



				kg					CODE
3"	75	23		70	99	28	10.5	2.5	G190-34C075×23D



				kg					CODE
3"	75	23		70	99	28	10.5	2.5	G190-34C075×23DS



TPR 轮 / 轴套式
Wheel Code: 34C
Wheel tread is
thermoplastic rubber,
Wheel center is plastic,
Plain bearing



TPR 轮 / 轴套式
Wheel Code: 34C
Wheel tread is
thermoplastic rubber,
Wheel center is plastic,
with steel threadguards,
Plain bearing

家具脚轮
Casters for furniture series

球形塑料脚轮 Ball casters 40mm-50mm

- Steel housing with chrome plating
- Swivel plate caster
- PP wheel, plain bearing



										CODE
1.5"	40		25	54.5	17	5	35×35×1.5	25×25	1.2	P180-30B040Q
2"	50		35	69	20	4.5	40×40×2	30×30	1.2	P180-30B050Q



									CODE
1.5"	40		25	53.5	17	M8	14	1.2	L180-30B040Q
2"	50		35	68	20	M10	19	1.2	L180-30B050Q



									CODE
1.5"	40		25	53.5	17	11	22.5	1.2	C181-30B040Q
2"	50		35	68	20	11	22.5	1.2	C181-30B050Q



									CODE
2"	50		35	91.5	21	8.1	37	1.2	P181-30B050Q

家具脚轮
Casters for furniture series

尼龙双轮 Nylon casters with double wheels 40mm-50mm

- Nylon housing
- Swivel plate caster/Swivel plate with single brake caster
- Wheel made of nylon, plain bearing



										CODE
1.5"	40	38		15	54	18	5.5	38×38×1.5	26.5×26.5	P501-20B040×38D
2"	50	45		25	64	20	5.5	38×38×1.5	26.5×26.5	P501-20B050×45D



										CODE
1.5"	40	38		15	54	18	5.5	38×38×1.5	26.5×26.5	P501-20B040×38DZ
2"	50	45		25	64	20	5.5	38×38×1.5	26.5×26.5	P501-20B050×45DZ



									CODE
1.5"	40	38		15	54	18	M8	10	L501-20B040×38D
2"	50	45		25	66	20	M10	15	L501-20B050×45D



									CODE
1.5"	40	38		15	54	18	M8	10	L501-20B040×38DZ
2"	50	45		25	66	20	M10	15	L501-20B050×45DZ



									CODE
1.5"	40	38		15	54	18	8	37	C501-20B040×38D
2"	50	45		25	66	20	8	37	C501-20B050×45D



									CODE
1.5"	40	38		15	54	18	8	37	C501-20B040×38DZ
2"	50	45		25	66	20	8	37	C501-20B050×45DZ

家具脚轮
Casters for furniture series

尼龙双轮　Nylon casters with double wheels 50mm

- Nylon housing
- Swivel plate caster
- Wheel made of nylon, plain bearing



									CODE
2"	50	50		30	59	25	11	22	C503-26B050×50D



									CODE
2"	50	50		25	59	25	11	22	C503-20B050×50D



									CODE
2"	50	40		25	64	25	11	22	C502-20B050×40D

家具脚轮
Casters for furniture series

锌合金尼龙脚轮　Nylon casters 50mm-61mm

- Zinky metal housing with chrome plating
- Swivel plate caster/Swivel plate with single brake caster/Swivel screw caster/ Swivel screw with single brake caster
- Polypropylene wheel, plain bearing



											CODE
2"	50	40		40	71.5	15.7	6.1	47×47×1.5	33×33		P901-20B050×40D
2.5"	61	42		50	82	19.5	6.1	47×47×1.5	33×33		P901-20B061×42D



											CODE
2"	50	40		40	71.5	15.7	6.1	47×47×1.5	33×33		P901-20B050×40DZ
2.5"	61	42		50	82	19.5	6.1	47×47×1.5	33×33		P901-20B061×42DZ



									CODE
2"	50	40		40	67	15.7	M8	15	L901-20B050×40D
2.5"	61	42		50	77.5	19.5	M8	15	L901-20B061×42D



									CODE
2"	50	40		40	67	15.7	M8	15	L901-20B050×40DZ
2.5"	61	42		50	77.5	19.5	M8	15	L901-20B061×42DZ

家具脚轮
Casters for furniture series

平板型转向小 PP 轮　Swivel plastic caster 25mm-45mm

- Steel housing with zinc plating
- Swivel plate caster
- PP wheel, plain bearing



											CODE
1"	25	13	—	6	35	14.5	5.6	47.5×33.5×1	36×22	1	P101-30B025×13



											CODE
1.2"	30	13	—	8	37.5	14.5	5.6	47.5×33.5×1	36×22	1	P101-30B030×13



											CODE
1.45"	38	17	—	15	48	17.5	6.3	55×39×1.5	43×27	1.2	P101-30B038×17



											CODE
1.75"	45	19	—	25	54	20	6.3	55×39×1.5	43×27	1.5	P101-30B045×19

家具脚轮
Casters for furniture series

平板型定向塑料轮　Fixed plastic castors 15mm-45mm

- Pressed steel housing with zinc plating
- Fixed plate caster
- PP wheel, plain bearing



											CODE
0.6"	15	12	—	5	17.5	4.2	30.7×16.3×1	21.2	1	D101-30B015×12



											CODE
1"	25	13	—	10	29	4.2	40×17.5×1	30	1	D101-30B025×13



											CODE
1.2"	30	13	—	12	35	5.2	45.5×19.4×1.2	34.5	1.2	D101-30B030×13



											CODE
1.8"	45	19	—	15	50	6.2	68×25×1.5	54	1.5	D101-30B045×19

家具脚轮
Casters for furniture series

塑料轮 plastic castors 40mm-65mm

- Steel housing with zinc plating
- Swivel plate caster/Swivel screw caster/ Swivel pin caster
- PP & Nylon wheel, plain bearing, PP wheel code: 30B, nylon wheel code: 20B



				kg							CODE
1.5"	40	18	▬	35	54	14	5	35×35×1.5	25×25	1.5	P102-30B040×18



				kg							CODE
2"	50	20	▬	40	68	20	5	40×40×2	30×30	2	P102-30B050×20
2.6"	65	22	▬	45	84	18	4.2	56×56×2	48×48	2	P101-30B065×22



				kg						CODE
1.5"	40	18	▬	35	54	14	M8	14	1.5	L102-30B040×18
2"	50	20	▬	40	68	20	M10	19	2	L102-30B050×20
2.6"	65	22	▬	45	84	18	M10	19	2	L101-30B065×22



				kg						CODE
1.5"	40	18	▬	35	50	14	8	37	1.5	C102-30B040×18
2"	50	20	▬	40	63	20	8	37	2	C102-30B050×20

家具脚轮
Casters for furniture series

定向塑料轮 Fixed plate plastic casters 25mm-50mm

- Steel housing with zinc plating
- Fixed plate caster
- PP wheel, plain bearing



				kg						CODE
1"	25	18	▬	10	30	6	60×42×2.5	46×28	2.5	D102-30B025×18



				kg						CODE
1.25"	32	16	▬	15	38	7	65×49×2	52	2	D102-30B032×16



				kg					CODE
2"	50	20	▬	40	68	64×47.5×2.5	2.5	D105-30B050×20



				kg						CODE
2"	50	20	▬	40	68	8	65×48.5×2	52×35	2.5	D106-30B050×20

家具脚轮
Casters for furniture series

塑料轮　plastic casters 63mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster
- PP wheel, plain bearing



				kg						CODE
2.5"	63	28	▬	55	86	7	73×61×2	54×41	2	D111-30B063×28



				kg							CODE
2.5"	63	28	▬	55	86	28	7	70×58×2	54×41	2	P111-30B063×28



				kg							CODE
2.5"	63	28	▬	55	86	28	7	70×58×2	54×41	2	P111-30B063×28Z

家具脚轮
Casters for furniture series

尼龙轮　Nylon casters 50mm-75mm

- Steel housing with zinc plating
- Swivel plate caster
- Nylon wheel, plain bearing and ball bearing



				kg							CODE
2"	50	28	▬	100	72	20	6.2	71×55×2.5	48×36	2.5	P117-20B050×28
2.5"	65	28	▬	100	91.5	20	6.2	71×55×2.5	48×36	2.5	P117-20B065×28
3"	75	28	▬	100	98.5	20	6.2	71×55×2.5	48×36	2.5	P117-20B075×28



				kg							CODE
2"	50	20	⊠⊠	120	71.5	16	6	59×48×2.5	45.5×35	2.5	P107-20F050×20



				kg							CODE
2"	50	20	⊠⊠	120	71.5	16	6	59×48×2.5	45.5×35	2.5	P107-20F050×20Z

家具脚轮
Casters for furniture series

塑料脚轮 Plastic casters 63mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster/Swivel screw caster/Swivel screw with single brake caster
- PP wheel, plain bearing



										CODE
2.4"	63	33		60	83.5	8.3	65×58×2	52.8×41.8	2	D115-30C063×33



											CODE
2.4"	63	33		60	83.5	29.5	8.3	65×58×2	52.8×41.8	2	P115-30C063×33



											CODE
2.4"	63	33		60	83.5	29.5	8.3	65×58×2	52.8×41.8	2	P115-30C063×33Z



									CODE
2.4"	63	33		60	90.5	29.5	1/2"	17	2	L115-30C063×33



									CODE
2.4"	63	33		60	90.5	29.5	1/2"	17	2	L115-30C063×33Z

家具脚轮
Casters for furniture series

透明轮 Transparency material casters 50mm-75mm

- Steel housing with chrome plating
- Swivel plate caster/Swivel plate with brake caster
- Polyvinyl Chloride and silica gel wheel, plain bearing



										CODE
2"	50	20		30	65	16	4.5	42×42×1	32×32	1.5	P170-65B050×20
2.5"	65	23		35	82	32.5	7	60×60×1.5	45×45	2	P170-65B065×23
3"	75	23		45	96.5	32.5	7	60×60×1.5	45×45	2	P170-65B075×23



										CODE
2"	50	20		30	65	16	4.5	42×42×1	32×32	1.5	P170-65B050×20Z
2.5"	65	23		35	82	32.5	7	60×60×1.5	45×45	2	P170-65B065×23Z
3"	75	23		45	96.5	32.5	7	60×60×1.5	45×45	2	P170-65B075×23Z

仪器轮
Instrumental casters series

白塑料轮 White plastic casters 50mm-125mm

- Steel housing with zinc plating and plastic braked pedal
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
2"	50	20	▬	40	73	6.2	50×50×1.5	36×36	2	D110-30B050×20 I
3"	75	25	▬	50	103	6.2	60×60×2	43×43	2	D111-30B075×25
4"	100	30	▭	70	132.5	9	77×67×2.5	60×50	2.5	D111-30C100×30
5"	125	30	▭	90	161	9	77×67×2.5	60×50	2.5	D111-30C125×30



											CODE
2"	50	20	▬	40	73	26	6.2	50×50×1.5	36×36	1.5	P110-30B050×20
3"	75	25	▬	50	103	30	6.2	60×60×2	43×43	2	P111-30B075×25
4"	100	30	▭	70	132.5	32	9	77×67×2.5	60×50	2	P111-30C100×30
5"	125	30	▭	90	161	39	9	77×67×2.5	60×50	2.5	P111-30C125×30



											CODE
2"	50	20	▬	40	73	26	6.2	50×50×1.5	36×36	1.5	P110-30B050×20IS
3"	75	25	▬	50	103	30	6.2	60×60×2	43×43	2	P111-30B075×25S
4"	100	30	▭	70	132.5	32	9	77×67×2.5	60×50	2	P111-30C100×30S
5"	125	30	▭	90	161	39	9	77×67×2.5	60×50	2.5	P111-30C125×30S



白塑料轮 / 轴套式
Wheel Code: 30C
Wheel made of
polypropylene
Plain bearing



白尼龙轮 / 轴套式
Wheel Code: 20C
Wheel made of
nylon
Plain bearing

仪器轮
Instrumental casters series

白塑料轮 White plastic casters 50mm-125mm

- Steel housing with zinc plating and plastic braked pedal

- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
2"	50	20	▬	40	75.5	26	3/8"	15	1.5	L110-30B050×20
3"	75	25	▬	50	105	30	M10	15	2	L111-30B075×25
4"	100	30	▭	70	135	32	M12	25	2	L111-30C100×30
5"	125	30	▭	90	163.5	39	M12	25	2.5	L111-30C125×30



										CODE
2"	50	20	▬	40	75.5	26	3/8"	15	1.5	L110-30B050×20IS
3"	75	25	▬	50	105	30	M10	15	2	L111-30B075×25S
4"	100	30	▭	70	135	32	M12	25	2	L111-30C100×30S
5"	125	30	▭	90	163.5	39	M12	25	2.5	L111-30C125×30S



									CODE
2"	50	20	▬	40	71.5	26	10.1	1.5	G110-30B050×20
3"	75	25	▬	50	101	30	10.1	2	G111-30B075×25
4"	100	30	▭	70	130	32	12.2	2	G111-30C100×30
5"	125	30	▭	90	158.5	39	12.2	2.5	G111-30C125×30



									CODE
2"	50	20	▭	40	71.5	26	10.1	1.5	G110-30B050×20IS
3"	75	25	▭	50	101	30	10.1	2	G111-30B075×25S
4"	100	30	▭	70	130	32	12.2	2.5	G111-30C100×30S
5"	125	30	▭	90	158.5	39	12.2	2.5	G111-30C125×30S

仪器轮
Instrumental casters series

塑芯 TPR 轮　TPR casters with PP center 50mm-125mm

- Steel housing with zinc plating and plastic braked pedal
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
2"	50	20		40	73	6.2	50×50×1.5	36×36	2	D110-34E050×20 I
3"	75	25		50	103	6.3	60×60×2	43×43	2	D111-34E075×25
4"	100	30		70	132.5	8.2	77×67×2.5	60×50	2.5	D111-34E100×30
5"	125	32		90	161	8.2	77×67×2.5	60×50	2.5	D111-34E125×32



										CODE
2"	50	20		40	73	26	6.2	50×50×1.5	36×36	1.5	P110-34E050×20
3"	75	25		50	103	30	6.3	60×60×2	43×43	2	P111-34E075×25
4"	100	30		70	132.5	32	8.2	77×67×2.5	60×50	2	P111-34E100×30
5"	125	32		90	161	39	8.2	77×67×2.5	60×50	2.5	P111-34E125×32



										CODE
2"	50	20		40	73	26	6.2	50×50×1.5	36×36	1.5	P110-34E050×20IS
3"	75	25		50	103	30	6.3	60×60×2	43×43	2	P111-34E075×25S
4"	100	30		70	132.5	32	8.2	77×67×2.5	60×50	2	P111-34E100×30S
5"	125	32		90	161	39	8.2	77×67×2.5	60×50	2.5	P111-34E125×32S



塑芯 TPE 轮 / 滚珠轴承

Wheel Code: 34E

Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing

仪器轮
Instrumental casters series

塑芯 TPR 轮　TPR casters with PP center 50mm-125mm

- Steel housing with zinc plating and plastic braked pedal
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
2"	50	20		40	75.5	26	3/8"	15	1.5	L110-34E050×20
3"	75	25		50	105	30	M10	15	2	L111-34E075×25
4"	100	30		70	135	32	M12	25	2	L111-34E100×30
5"	125	32		90	163.5	39	M12	25	2.5	L111-34E125×32



										CODE
2"	50	20		40	75.5	26	3/8"	15	1.5	L110-34E050×20IS
3"	75	25		50	105	30	M10	15	2	L111-34E075×25S
4"	100	30		70	135	32	M12	25	2	L111-34E100×30S
5"	125	32		90	163.5	39	M12	25	2.5	L111-34E125×32S



									CODE
2"	50	20		40	71.5	26	10.1	1.5	G110-34E050×20
3"	75	25		50	101	30	10.1	2	G111-34E075×25
4"	100	30		70	130	32	12.2	2	G111-34E100×30
5"	125	30		90	158.5	39	12.2	2.5	G111-34E125×32



									CODE
2"	50	20		40	71.5	26	10.1	1.5	G110-34E050×20IS
3"	75	25		50	101	30	10.1	2	G111-34E075×25S
4"	100	30		70	130	32	12.2	2.5	G111-34E100×30S
5"	125	32		90	158.5	39	12.2	2.5	G111-34E125×32S

仪器轮
Instrumental casters series

塑芯 TPR 轮　TPR casters with PP center 50mm-125mm

- Steel housing with zinc plating and plastic braked pedal
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
2"	50	20		40	73	6.2	50×50×1.5	36×36	2	D110-34B050×20I
3"	75	25		50	103	6.3	60×60×2	43×43	2	D111-34B075×25
4"	100	32		70	132.5	8.2	77×67×2.5	60×50	2	D111-34C100×32
5"	125	32		90	161	8.2	77×67×2.5	60×50	2.5	D111-34C125×32



											CODE
2"	50	20		40	73	26	6.2	50×50×1.5	36×36	1.5	P110-34B050×20
3"	75	25		50	103	30	6.3	60×60×2	43×43	2	P111-34B075×25
4"	100	32		70	132.5	32	8.2	77×67×2.5	60×50	2	P111-34C100×32
5"	125	32		90	161	39	8.2	77×67×2.5	60×50	2.5	P111-34C125×32



											CODE
2"	50	20		40	73	26	6.2	50×50×1.5	36×36	1.5	P110-34B050×20IS
3"	75	25		50	103	30	6.3	60×60×2	43×43	2	P111-34B075×25S
4"	100	32		70	132.5	32	8.2	77×67×2.5	60×50	2	P111-34C100×32S
5"	125	32		90	161	39	8.2	77×67×2.5	60×50	2.5	P111-34C125×32S



塑芯 TPR 轮 / 整体式

Wheel Code: 34B

Wheel tread is thermoplastic rubber, Wheel center is plastic, No steel bush



塑芯 TPR 轮 / 轴套式

Wheel Code: 34C

Wheel tread is thermoplastic rubber, Wheel center is plastic, Plain bearing

仪器轮
Instrumental casters series

塑芯 TPR 轮　TPR casters with PP center 50mm-125mm

- Steel housing with zinc plating and plastic braked pedal
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
2"	50	20		40	75.5	26	3/8"	15	1.5	L110-34B050×20
3"	75	25		50	105	30	M10	15	2	L111-34B075×25
4"	100	32		75	135	32	M12	25	2	L111-34C100×32
5"	125	32		90	163.5	39	M12	25	2.5	L111-34C125×32



										CODE
2"	50	20		40	75.5	26	3/8"	15	1.5	L110-34B050×20IS
3"	75	25		50	105	30	M10	15	2	L111-34B075×25S
4"	100	32		75	135	32	M12	25	2	L111-34C100×32S
5"	125	32		90	163.5	39	M12	25	2.5	L111-34C125×32S



									CODE
2"	50	20		40	71.5	26	10.1	1.5	G110-34B050×20
3"	75	25		50	101	30	10.1	2	G111-34B075×25
4"	100	32		75	130	32	12.2	2	G111-34C100×32
5"	125	32		90	158.5	39	12.2	2.5	G111-34C125×32



									CODE
2"	50	20		40	71.5	26	10.1	1.5	G110-34B050×20IS
3"	75	25		50	101	30	10.1	2	G111-34B075×25S
4"	100	32		75	130	32	12.2	2	G111-34C100×32S
5"	125	32		90	158.5	39	12.2	2.5	G111-34C125×32S

仪器轮
Instrumental casters series

塑芯 TPR 轮　TPR casters with PP center 50mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
2"	50	20		40	73	6.3	53×50×1.5	36×36	1.5	D110-34B050×20
3"	75	23		50	100	6.3	67.5×60×2	43×43	2	D110-34B075×23
4"	100	27		70	130	8.2	82.5×75×2	54×54	2	D110-34C100×27
5"	125	27		80	154.5	8.2	82.5×75×2	54×54	2	D110-34C125×27



										CODE
2"	50	20		40	73	26	6.3	50×50×1.5	36×36	1.5	P110-34B050×20
3"	75	23		50	100	30	6.3	60×60×2	43×43	2	P110-34B075×23
4"	100	27		70	130	33	8.2	75×75×2.5	54×54	2.5	P110-34C100×27
5"	125	27		80	154.5	33	8.2	75×75×2.5	54×54	2.5	P110-34C125×27



										CODE
2"	50	20		40	73	26	6.3	50×50×1.5	36×36	1.5	P110-34B050×20S
3"	75	23		50	100	30	6.3	60×60×2	43×43	2	P110-34B075×23S
4"	100	27		70	130	33	8.2	75×75×2.5	54×54	2.5	P110-34C100×27S
5"	125	27		80	154.5	33	8.2	75×75×2.5	54×54	2.5	P110-34C125×27S



塑芯 TPR 轮 / 整体式

Wheel Code: 34B

Wheel tread is thermoplastic rubber, Wheel center is plastic, No steel bush



塑芯 TPR 轮 / 轴套式

Wheel Code: 34C

Wheel tread is thermoplastic rubber, Wheel center is plastic, Plain bearing

仪器轮
Instrumental casters series

塑芯 TPR 轮　TPR casters with PP center 50mm-125mm

- Steel housing with zinc plating
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
2"	50	20		40	77.5	26	3/8"	15	1.5	L110-34B050×20
3"	75	23		50	103.5	32	3/8"	15	2	L110-34B075×23
4"	100	27		70	133.5	34	M12	25	2.5	L110-34C100×27
5"	125	27		80	158	34	M12	25	2.5	L110-34C125×27



										CODE
2"	50	20		40	77.5	26	3/8"	15	1.5	L110-34B050×20S
3"	75	23		50	103.5	32	3/8"	15	2	L110-34B075×23S
4"	100	27		70	133.5	34	M12	25	2.5	L110-34C100×27S
5"	125	27		80	158	34	M12	25	2.5	L110-34C125×27S



										CODE
2"	50	20		40	71.5	26	10.1	1.5		G110-34B050×20
3"	75	23		50	97.5	32	10.1	2		G110-34B075×23
4"	100	27		70	127.5	34	12.2	2.5		G110-34C100×27
5"	125	27		80	152	34	12.2	2.5		G110-34C125×27



										CODE
2"	50	20		40	71.5	26	10.1	1.5		G110-34B050×20S
3"	75	23		50	97.5	32	10.1	2		G110-34B075×23S
4"	100	27		70	127.5	34	12.2	2.5		G110-34C100×27S
5"	125	27		80	152	34	12.2	2.5		G110-34C125×27S

仪器轮
Instrumental casters series

黑塑料轮　Black plastic casters 50mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
2"	50	20		40	73	6.2	53×50×1.5	36×36	1.5	D110-30B050×20
3"	75	23		50	99.5	6.2	67.5×60×2	43×43	2	D110-30B075×23
4"	100	26		70	130	8.2	82.5×75×2	54×54	2	D110-30C100×26
5"	125	26		80	154.5	8.2	82.5×75×2	54×54	2	D110-30C125×26



										CODE
2"	50	20		40	73	26	6.2	50×50×1.5	36×36	1.5	P110-30B050×20
3"	75	23		50	99.5	30	6.3	60×60×2	43×43	2	P110-30B075×23
4"	100	26		70	130	33	8.2	75×75×2.5	54×54	2.5	P110-30C100×26
5"	125	26		80	154.5	33	8.2	75×75×2.5	54×54	2.5	P110-30C125×26



										CODE
2"	50	20		40	73	26	6.2	50×50×1.5	36×36	1.5	P110-30B050×20S
3"	75	23		50	99.5	30	6.3	60×60×2	43×43	2	P110-30B075×23S
4"	100	26		70	130	33	8.2	75×75×2.5	54×54	2.5	P110-30C100×26S
5"	125	26		80	154.5	33	8.2	75×75×2.5	54×54	2.5	P110-30C125×26S



黑塑料轮 / 整体式
Wheel Code: 30B
Wheel made of polypropylene
No steel bush



黑塑料轮 / 轴套式
Wheel Code: 30C
Wheel made of polypropylene
Plain bearing

仪器轮
Instrumental casters series

黑塑料轮　Black plastic casters 50mm-125mm

- Steel housing with zinc plating
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
2"	50	20		40	77.5	26	3/8"	15	1.5	L110-30B050×20
3"	75	23		50	103.5	30	3/8"	15	2	L110-30B075×23
4"	100	26		70	133.5	33	M12	25	2.5	L110-30C100×26
5"	125	26		80	158	33	M12	25	2.5	L110-30C125×26



										CODE
2"	50	20		40	77.5	26	3/8"	15	1.5	L110-30B050×20S
3"	75	23		50	103.5	30	3/8"	15	2	L110-30B075×23S
4"	100	26		70	133.5	33	M12	25	2.5	L110-30C100×26S
5"	125	26		80	158	33	M12	25	2.5	L110-30C125×26S



									CODE
2"	50	20		40	71.5	26	10.1	1.5	G110-30B050×20
3"	75	23		50	97.5	30	10.1	2	G110-30B075×23
4"	100	26		70	127.5	33	12.2	2.5	G110-30C100×26
5"	125	26		80	152	33	12.2	2.5	G110-30C125×26



									CODE
2"	50	20		40	71.5	26	10.1	1.5	G110-30B050×20S
3"	75	23		50	97.5	30	10.1	2	G110-30B075×23S
4"	100	26		70	127.5	33	12.2	2.5	G110-30C100×26S
5"	125	26		80	152	33	12.2	2.5	G110-30C125×26S

仪器轮
Instrumental casters series

塑芯灰胶轮　Grey rubber casters 50mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
2"	50	17		40	73	6.2	53×50×1.5	36×36	1.5	D110-32C050×17
2.5"	65	21		45	87.5	6.2	67.5×60×2	43×43	2	D110-32C065×21
3"	75	21		50	99.5	6.2	67.5×60×2	43×43	2	D110-32C075×21
4"	100	27		60	130	8.2	82.5×75×2	54×54	2	D110-32C100×27
5"	125	27		70	154.5	8.2	82.5×75×2	54×54	2	D110-32C125×27



											CODE
2"	50	17		40	73	26	6.2	50×50×1.5	36×36	1.5	P110-32C050×17
2.5"	65	21		45	87.5	32	6.2	60×60×2	43×43	2	P110-32C065×21
3"	75	21		50	99.5	30	6.3	60×60×2	43×43	2	P110-32C075×21
4"	100	27		60	130	33	8.2	75×75×2.5	54×54	2.5	P110-32C100×27
5"	125	27		70	154.5	33	8.2	75×75×2.5	54×54	2.5	P110-32C125×27



											CODE
2"	50	17		40	73	26	6.2	50×50×1.5	36×36	1.5	P110-32C050×17S
2.5"	65	21		45	87.5	32	6.2	60×60×2	43×43	2	P110-32C065×21S
3"	75	21		50	99.5	30	6.3	60×60×2	43×43	2	P110-32C075×21S
4"	100	27		60	130	33	8.2	75×75×2.5	54×54	2.5	P110-32C100×27S
5"	125	27		70	154.5	33	8.2	75×75×2.5	54×54	2.5	P110-32C125×27S



塑芯灰胶轮 / 轴套式

Wheel Code: 32C

Wheel tread is
grey rubber,
Wheel center is plastic,
Plain bearing

仪器轮
Instrumental casters series

塑芯灰胶轮　Grey rubber casters 50mm-125mm

- Steel housing with zinc plating
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
2"	50	17		40	77.5	26	3/8"	15	1.5	L110-32C050×17
2.5"	65	21		45	91.5	32	3/8"	15	2	L110-32C065×21
3"	75	21		50	103.5	30	3/8"	15	2	L110-32C075×21
4"	100	27		60	133.5	33	M12	25	2.5	L110-32C100×27
5"	125	27		70	158	33	M12	25	2.5	L110-32C125×27



										CODE
2"	50	17		40	77.5	26	3/8"	15	1.5	L110-32C050×17S
2.5"	65	21		45	91.5	32	3/8"	15	2	L110-32C065×21S
3"	75	21		50	103.5	30	3/8"	15	2	L110-32C075×21S
4"	100	27		60	133.5	33	M12	25	2.5	L110-32C100×27S
5"	125	27		70	158	33	M12	25	2.5	L110-32C125×27S



									CODE
2"	50	17		40	71.5	26	10.1	1.5	G110-32C050×17
2.5"	65	21		45	85.5	32	10.1	2	G110-32C065×21
3"	75	21		50	97.5	30	10.1	2	G110-32C075×21
4"	100	27		60	127.5	33	12.2	2.5	G110-32C100×27
5"	125	27		70	152	33	12.2	2.5	G110-32C125×27



									CODE
2"	50	17		40	71.5	26	10.1	1.5	G110-32C050×17S
2.5"	65	21		45	85.5	32	10.1	2	G110-32C065×21S
3"	75	21		50	97.5	30	10.1	2	G110-32C075×21S
4"	100	27		60	127.5	33	12.2	2.5	G110-32C100×27S
5"	125	27		70	152	33	12.2	2.5	G110-32C125×27S

仪器轮
Instrumental casters series

钢芯天然橡胶轮 Natural rubber casters 50mm

- Steel housing with zinc plating and plastic braked pedal
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster



										CODE
2"	50	19		40	71	6.3	55×55×2	43×43	2	D103-12F050×19



										CODE
2"	50	19		40	71	25	6.3	60×60×2	43×43	2	P103-12F050×19



										CODE
2"	50	19		40	71	25	6.3	60×60×2	43×43	2	P103-12F050×19Z



钢芯天然胶轮 / 滚珠轴承

Wheel Code: 12F

Wheel tread is
Natural rubber,
Wheel center is steel,
ball bearing

仪器轮
Instrumental casters series

钢芯天然橡胶轮 Natural rubber casters 50mm

- Steel housing with zinc plating and plastic braked pedal
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
2"	50	19		40	72.5	25	M10	20	2	L103-12F050×19



										CODE
2"	50	19		40	72.5	25	M10	20	2	L103-12F050×19Z



										CODE
2"	50	19		40	69	25	10.1	2		G103-12F050×19



										CODE
2"	50	19		40	69	25	10.1	2		G103-12F050×19Z

仪器轮
Instrumental casters series

钢芯天然橡胶轮 Natural rubber casters 75mm

- Steel housing with zinc plating and plastic braked pedal
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



											CODE
3"	75	25		60	103	6.3	60×60×2	43×43	1.5		D111-12F075×25



											CODE
3"	75	25		60	103	30	6.3	60×60×2	43×43	2	P111-12F075×25



											CODE
3"	75	25		60	103	30	6.3	60×60×2	43×43	2	P111-12F075×25S



钢芯天然胶轮 / 滚珠轴承

Wheel Code: 12F

Wheel tread is
Natural rubber,
Wheel center is steel,
ball bearing

仪器轮
Instrumental casters series

钢芯天然橡胶轮 Natural rubber casters 75mm

- Steel housing with zinc plating and plastic braked pedal
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



											CODE
3"	75	25		60	105	30	M10	20	2		L111-12F075×25



											CODE
3"	75	25		60	105	30	M10	20	2		L111-12F075×25S



											CODE
3"	75	25		60	101	30	10.1	2			G111-12F075×25



											CODE
3"	75	25		60	101	30	10.1	2			G111-12F075×25S

肥仔脚轮
Casters for fat type series

塑料肥仔脚轮　Plastic casters for fat type 50mm-75mm

- Steel housing with zinc plating.
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster
- PP wheel, Plain bearing



											CODE
2"	50	22		50	72	0	6.5	65×48×2	54×24.2	2	D108-30B050×22
2.5"	65	25		60	82.5	0	8.5	98×70×2.5	76×44.5	2.5	D108-30B065×25
3"	75	32		80	95.5	0	8.5	104×79×2.5	86×60	2.5	D108-30B075×32



											CODE
2"	50	22		50	72	21.7	6.5	65×48×2	54×24.2	2	P108-30B050×22
2.5"	65	25		60	82.5	26.5	8.5	98×70×2.5	76×44.5	2.5	P108-30B065×25
3"	75	32		80	95.5	20	8.5	104×79×2.5	86×60	2.5	P108-30B075×32



											CODE
2"	50	22		50	72	21.7	6.5	65×48×2	54×24.2	2	P108-30B050×22Z
2.5"	65	25		60	82.5	26.5	8.5	98×70×2.5	76×44.5	2.5	P108-30B065×25Z
3"	75	32		80	95.5	20	8.5	104×79×2.5	86×60	2.5	P108-30B075×32Z

肥仔脚轮
Casters for fat type series

硬橡胶肥仔脚轮　Hard rubber casters for fat type 50mm-75mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster
- Hard rubber wheel, plain bearing



											CODE
2"	50	22		50	72	6.5	65×48×2	54×24.2	2	D108-53B050×22	
2.5"	65	24		60	82.5	8.5	98×70×2.5	76×44.5	2.5	D108-53B065×24	
3"	75	30		80	95.5	8.5	104×79×2.5	86×60	2.5	D108-53B075×30	



											CODE
2"	50	22		50	72	21.7	6.5	65×48×2	54×24.2	2	P108-53B050×22
2.5"	65	24		60	82.5	26.5	8.5	98×70×2.5	76×44.5	2.5	P108-53B065×24
3"	75	30		80	95.5	20	8.5	104×79×2.5	86×60	2.5	P108-53B075×30



											CODE
2"	50	22		50	72	21.7	6.5	65×48×2	54×24.2	2	P108-53B050×22Z
2.5"	65	24		60	82.5	26.5	8.5	98×70×2.5	76×44.5	2.5	P108-53B065×24Z
3"	75	30		80	95.5	20	8.5	104×79×2.5	86×60	2.5	P108-53B075×30Z

肥仔脚轮
Casters for fat type series

塑料肥仔脚轮 Plastic casters for fat type 75mm

- Steel housing with zinc plating
- Swivel plate caster/Swivel plate with single brake caster/Swivel screw caster/Swivel screw with single brake caster
- PP wheel, Plain bearing



											CODE
3"	75	32		80	98	27.5	9	105×78×2.5	82×60	2.5	P106-30C075×32



											CODE
3"	75	32		80	98	27.5	9	105×78×2.5	82×60	2.5	P106-30C075×32Z



											CODE
3"	75	32		80	106	27.5	3/4''	10	2.5		L106-30C075×32



											CODE
3"	75	32		80	106	27.5	3/4''	10	2.5		L106-30C075×32Z

肥仔脚轮
Casters for fat type series

塑料肥仔脚轮 Plastic casters for fat type 75mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster



											CODE
3"	75	32		80	103	9	105×85×2	78.5×60	2		D105-30C075×32
3.2	80	35		70	106	9	105×85×2	76×56	2		D102-31C080×35



											CODE
3"	75	32		80	103	37.5	9	105×85×3	78.5×60	2.5	P105-30C075×32
3.2	80	35		70	106	37.5	9	105×85×3	76×56	2.5	P102-31C080×35



											CODE
3"	75	32		80	103	37.5	9	105×85×3	78.5×60	2.5	P105-30C075×32Z
3.2	80	35		70	106	37.5	9	105×85×3	76×56	2.5	P102-31C080×35Z



塑料轮 / 轴套式
Wheel Code: 30C
Wheel made of plastic
with steel threadguards,
Plain bearing



塑料轮 / 轴套式
Wheel Code: 30C
Wheel made of plastic
with steel threadguards
Plain bearing



尼龙轮 / 轴套式
Wheel Code: 20C
Wheel made of plastic
Plain bearing



塑芯黑胶轮 / 轴套式
Wheel Code: 31C
Wheel tread is
black rubber
Wheel center is plastic,
Plain bearing

全塑脚轮
All plastic casters series

全塑脚轮 I All plastic casters I 100mm-125mm

- Nylon housing with swivel ball rotation
- Swivel plate caster/Swivel plate with brake caster



											CODE
4"	100	32		110	137	38	8.1	77×67×2.5	58.5×49	6.5	P503-34E100×32C
4"	100	32		110	137	38	8.1	77×67×2.5	58.5×49	6.5	P503-39E100×32C
5"	125	32		120	161	43	8.1	77×67×2.5	58.5×49	6.5	P503-34E125×32C
5"	125	32		120	161	43	8.1	77×67×2.5	58.5×49	6.5	P503-39E125×32C



Total brake caster with one lock position

											CODE
4"	100	32		110	137	38	8.1	77×67×2.5	58.5×49	6.5	P503-34E100×32CS
4"	100	32		110	137	38	8.1	77×67×2.5	58.5×49	6.5	P503-39E100×32CS
5"	125	32		120	161	43	8.1	77×67×2.5	58.5×49	6.5	P503-34E125×32CS
5"	125	32		120	161	43	8.1	77×67×2.5	58.5×49	6.5	P503-39E125×32CS



Directional lock and wheel lock caster with two lock position

											CODE
4"	100	32		110	137	38	8.1	77×67×2.5	58.5×49	6.5	P503-34E100×32CIS
4"	100	32		110	137	38	8.1	77×67×2.5	58.5×49	6.5	P503-39E100×32CIS
5"	125	32		120	161	43	8.1	77×67×2.5	58.5×49	6.5	P503-34E125×32CIS
5"	125	32		120	161	43	8.1	77×67×2.5	58.5×49	6.5	P503-39E125×32CIS



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing



塑芯 TPE 轮 / 轴套式
Wheel Code: 34C
Wheel tread is thermoplastic rubber, Wheel center is plastic, Plain bearing



金属可选不锈钢材料
Matching fittings can be change to stainless steel parts to assemble all plastic casters

全塑脚轮
All plastic casters series

全塑脚轮 I All plastic casters I 100mm-125mm

- Nylon housing with swivel ball rotation
- Swivel screw caster/Swivel screw with brake caster



											CODE
4"	100	32		110	145	38	M12	25	6.5		L503-34E100×32C
4"	100	32		110	145	38	M12	25	6.5		L503-39E100×32C
5"	125	32		120	169	43	M16	25	6.5		L503-34E125×32C
5"	125	32		120	169	43	M16	25	6.5		L503-39E125×32C



Total brake caster with one lock position

											CODE
4"	100	32		110	145	38	M12	25	6.5		L503-34E100×32CS
4"	100	32		110	145	38	M12	25	6.5		L503-39E100×32CS
5"	125	32		120	169	43	M16	25	6.5		L503-34E125×32CS
5"	125	32		120	169	43	M16	25	6.5		L503-39E125×32CS



Directional lock and wheel lock caster with two lock position

											CODE
4"	100	32		110	145	38	M12	25	6.5		L503-34E100×32CIS
4"	100	32		110	145	38	M12	25	6.5		L503-39E100×32CIS
5"	125	32		120	169	43	M16	25	6.5		L503-34E125×32CIS
5"	125	32		120	169	43	M16	25	6.5		L503-39E125×32CIS



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing



防静电塑芯 TPR 轮 / 轴套式
Wheel Code: 39C
Wheel made of electrostatic resistand thermoplastic rubber, Wheel center is plastic, no bearing



防静电塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 39E
Wheel made of electrostatic resistand thermoplastic rubber, Wheel center is plastic, Ball bearing



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing

全塑脚轮
All plastic casters series

全塑脚轮 I　All plastic casters I　100mm-125mm

- Nylon housing with swivel ball rotation
- Swivel bolt hole caster/Swivel bolt hole with brake caster



									CODE
4"	100	32		110	137	38	12.5	6.5	G503-34E100×32C
4"	100	32		110	137	38	12.5	6.5	G503-39E100×32C
5"	125	32		120	161	43	12.5	6.5	G503-34E125×32C
5"	125	32		120	161	43	12.5	6.5	G503-39E125×32C



Total brake caster with one lock position

									CODE
4"	100	32		110	137	38	12.5	6.5	G503-34E100×32CS
4"	100	32		110	137	38	12.5	6.5	G503-39E100×32CS
5"	125	32		120	161	43	12.5	6.5	G503-34E125×32CS
5"	125	32		120	161	43	12.5	6.5	G503-39E125×32CS



Directional lock and wheel lock caster with two lock position

									CODE
4"	100	32		110	137	38	12.5	6.5	G503-34E100×32CIS
4"	100	32		110	137	38	12.5	6.5	G503-39E100×32CIS
5"	125	32		120	161	43	12.5	6.5	G503-34E125×32CIS
5"	125	32		120	161	43	12.5	6.5	G503-39E125×32CIS



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing



塑芯 TPE 轮 / 轴套式
Wheel Code: 34C
Wheel tread is thermoplastic rubber, Wheel center is plastic, Plain bearing



金属可选不锈钢材料
Matching fittings can be change to stainless steel parts to assemble all plastic casters

全塑脚轮
All plastic casters series

全塑脚轮 II　All plastic casters II　100mm-125mm

- Nylon housing with ball bearing
- Swivel screw caster/Swivel screw with brake caster



										CODE
4"	100	32		90	138.5	38	M12 M16	25	6.5	L502-34E100×32C
4"	100	32		90	138.5	38	M12 M16	25	6.5	L502-39E100×32C
5"	125	32		100	165	43	M12 M16	25	6.5	L502-34E125×32C
5"	125	32		100	165	43	M12 M16	25	6.5	L502-39E125×32C



Total brake caster with one lock position

										CODE
4"	100	32		90	138.5	38	M12 M16	25	6.5	L502-34E100×32CS
4"	100	32		90	138.5	38	M12 M16	25	6.5	L502-39E100×32CS
5"	125	32		100	165	43	M12 M16	25	6.5	L502-34E125×32CS
5"	125	32		100	165	43	M12 M16	25	6.5	L502-39E125×32CS



Directional lock and wheel lock caster with two lock position

										CODE
4"	100	32		90	138.5	38	M12 M16	25	6.5	L502-34E100×32CIS
4"	100	32		90	138.5	38	M12 M16	25	6.5	L502-39E100×32CIS
5"	125	32		100	165	43	M12 M16	25	6.5	L502-34E125×32CIS
5"	125	32		100	165	43	M12 M16	25	6.5	L502-39E125×32CIS



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing



防静电塑芯 TPR 轮 / 滚珠轴承
Wheel Code: 39E
Wheel made of electrostatic resistand thermoplastic rubber, Wheel center is plastic, ball bearing



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing



金属可选不锈钢材料
Matching fittings can be change to stainless steel parts to assemble all plastic casters

全塑脚轮
All plastic casters series

全塑脚轮 II　All plastic casters II　100mm-125mm

- Nylon housing with ball bearing
- Swivel screw caster/Swivel screw with brake caster



										CODE
4"	100	32		80	138.5	38	M12 M16	25	6.5	L502-34C100×32A
4"	100	32		80	138.5	38	M12 M16	25	6.5	L502-39C100×32A
5"	125	32		90	165	43	M12 M16	25	6.5	L502-34C125×32
5"	125	32		90	165	43	M12 M16	25	6.5	L502-39C125×32



Total brake caster with one lock position

										CODE
4"	100	32		80	138.5	38	M12 M16	25	6.5	L502-34C100×32AS
4"	100	32		80	138.5	38	M12 M16	25	6.5	L502-39C100×32AS
5"	125	32		90	165	43	M12 M16	25	6.5	L502-34C125×32S
5"	125	32		90	165	43	M12 M16	25	6.5	L502-39C125×32S



Directional lock and wheel lock caster with two lock position

										CODE
4"	100	32		80	138.5	38	M12 M16	25	6.5	L502-34C100×32AIS
4"	100	32		80	138.5	38	M12 M16	25	6.5	L502-39C100×32AIS
5"	125	32		90	165	43	M12 M16	25	6.5	L502-34C125×32IS
5"	125	32		90	165	43	M12 M16	25	6.5	L502-39C125×32IS



塑芯 TPE 轮 / 内套式
Wheel Code: 34C
Wheel tread is thermoplastic rubber, Wheel center is plastic, Plain bearing



防静电塑芯 TPR 轮 / 内套式
Wheel Code: 39C
Wheel made of electrostatic resistand thermoplastic rubber, Wheel center is plastic, Plain bearing



塑芯 TPE 轮 / 轴承式
Wheel Code: 34C
Wheel tread is thermoplastic rubber, Wheel center is plastic, Plain bearing

全塑脚轮
All plastic casters series

全塑脚轮 III　All plastic casters III　100mm-125mm

- Nylon housing with ball bearing
- Swivel screw caster/Swivel screw with brake caster/Swivel pin caster/Swivel pin with brake caster



										CODE
4"	100	25		100	136	38	M12	25	4.5	L501-36E100×25A
5"	125	32		120	163	43	M16	25	5	L501-36E125×32A



										CODE
4"	100	25		100	136	38	M12	25	4.5	L501-36E100×25AS
5"	125	32		120	163	43	M16	25	5	L501-36E125×32AS



										CODE
4"	100	25		100	132	38	21.5	55	4.5	C501-36E100×25A
5"	125	32		120	159	43	21.5	55	5	C501-36E125×32A



										CODE
4"	100	25		100	132	38	21.5	55	4.5	C501-36E100×25AS
5"	125	32		120	159	43	21.5	55	5	C501-36E125×32AS

全塑脚轮
All plastic casters series

全塑双轮 All plastic casters with twin wheels series 75mm-125mm

- Nylon housing
- Swivel plate caster/Swivel plate with single brake/Swivel screw caster/Swivel screw with single brake caster



				kg						CODE
3"	76	58		60	102	23	8	70×58×2	54×41	P530-26B075×58D
4"	100	70		80	138	28	8.3	94×64×2	75×45	P530-26B100×70D
5"	125	72		100	148	38.5	8.7	94×64×2	75×45	P530-26B125×72D



				kg						CODE
3"	76	58		60	102	23	8	70×58×2	54×41	P530-26B075×58DS
4"	100	70		80	138	28	8.3	94×64×2	75×45	P530-26B100×70DS
5"	125	72		100	148	38.5	8.7	94×64×2	75×45	P530-26B125×72DS



				kg					CODE
3"	76	58		60	102	23	M12	20	L530-26B075×58D
4"	100	70		80	138	28	M12	25	L530-26B100×70D
5"	125	72		100	148	38.5	M12	25	L530-26B125×72D



				kg					CODE
3"	76	58		60	102	23	M12	20	L530-26B075×58DS
4"	100	70		80	138	28	M12	25	L530-26B100×70DS
5"	125	72		100	148	38.5	M12	25	L530-26B125×72DS

推车轮
Casters for trolley series

平地轮 Casters for shopping trolley 75mm-125mm

- Steel housing with zinc plating, ball bearing in swivel head with black nylon cover
- Fixed bolt hole caster/Swivel bolt hole caster



				kg					CODE
3"	75	25		50	103.5	30	12.1	2.5	G140-34E075×25
4"	100	30		80	129	36	12.1	2.5	G140-34E100×30
5"	125	32		100	153	36	12.1	2.5	G140-34E125×32



				kg					CODE
3"	75	25		50	103.5	30	12.1	2.5	D140-34E075×25
4"	100	30		80	129	36	12.1	2.5	D140-34E100×30
5"	125	32		100	153	36	12.1	2.5	D140-34E125×32



				kg					CODE
4"	100	30		80	128	32	12.1	2.5	G139-34E100×30
5"	125	32		100	150	36	12.1	2.5	G139-34E125×32



				kg					CODE
4"	100	32		80	123	43	12.1	2.5	G138-35E100×32
5"	125	32		100	147	40	12.1	2.5	G138-35E125×32



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber,
Wheel center is plastic,
Ball bearing



塑芯 PVC 轮 / 滚珠轴承
Wheel Code: 35E
Wheel tread is PVC,
Wheel center is plastic,
Ball bearing

推车轮
Casters for trolley series

防静电式平地轮　Electrostatic resistant TPR casters for shopping trolley　100mm-125mm

- Steel housing with zinc plating, ball bearing in swivel head with black nylon cover
- Swivel bolt hole caster



				kg					CODE
4"	100	30		80	129	36	12.1	2.5	G140-39E100×30
5"	125	32		100	153	36	12.1	2.5	G140-39E125×32



				kg					CODE
5"	125	30		90	152	33	12.1	2.5	G110-39E125×30

防静电塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 39E
Wheel made of electrostatic resistand thermoplastic rubber,
Wheel center is plastic,
Ball bearing

防静电塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 39E
Wheel made of electrostatic resistand thermoplastic rubber,
Wheel center is plastic,
Ball bearing

推车轮
Casters for trolley series

平地轮　Casters for shopping trolley　100mm-125mm

- Steel housing with zinc plating, ball bearing in swivel head with black nylon cover
- Swivel bolt hole caster



				kg					CODE
4"	100	32		120	129	36	12.1	2.5	G141-23D100×32
5"	125	36		150	153	36	12.1	2.5	G141-23D125×36



				kg					CODE
4"	100	34		100	129	36	12.1	2.5	G141-36D100×34
5"	125	40		120	153	36	12.1	2.5	G141-36D125×40



尼龙芯弹力胶轮 / 滚针轴承
Wheel Code: 23D
Wheel tread is elastic rubber,
Wheel center is nylon,
Roller bearings



塑芯聚氨酯轮 / 滚针轴承
Wheel Code: 36D
Wheel tread is polyurethane,
Wheel center is plastic,
Roller bearing

推车轮
Casters for trolley series

二线电梯轮　Escalator casters for shopping trolley 100mm-125mm

- Steel housing with zinc plating, ball bearing in swivel head with black nylon cover
- Swivel bolt hole caster



									CODE
4"	100	38		70	129	37.5	12.1	2.5	G142-06E100×38
5"	125	38		90	153	37.5	12.1	2.5	G142-06E125×38



									CODE
4"	100	33		70	129	36	12.1	2.5	G143-26E100×33
5"	125	33		90	153	36	12.1	2.5	G143-26E125×33



									CODE
4"	100	34		70	129	36	12.1	2.5	G144-26E100×34
5"	125	34		90	153	36	12.1	2.5	G144-26E125×34



二线电梯轮 / 滚珠轴承
Wheel Code: 06E
Wheel tread is polyurethane, center race brake, wheel center is nylon, Ball bearing



二线电梯轮 / 滚珠轴承
Wheel Code: 26E
Wheel tread is polyurethane,wheel center is nylon, both side of housing brake Ball bearing



二线电梯轮 / 滚珠轴承
Wheel Code: 26E
Wheel tread is polyurethane,top of center race brake, wheel center is nylon, Ball bearing

推车轮
Casters for trolley series

三线电梯轮　Escalator casters for shopping trolley 100mm-125mm

- Steel housing with zinc plating, ball bearing in swivel head with black nylon cover
- Swivel bolt hole caster



									CODE
4"	100	28		70	134.5	37.5	12.1	2.5	G145-06E100×28
5"	125	28		90	159	37.5	12.1	2.5	G145-06E125×28



三线电梯轮 / 滚珠轴承
Wheel Code: 06E
Wheel tread is polyurethane,wheel center is nylon, both side of housing brake Ball bearing

推车轮
Casters for trolley series

手推车轮　Casters for cart 100mm-125mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel screw caster/Swivel pin caster



									CODE
4"	100	32		75	128	32	12.1	2.5	G121-34C100×32
5"	125	32		90	150	38	12.1	2.5	G121-34C125×32



										CODE
4"	100	32		75	128	32	M12	35	2.5	L121-34C100×32
5"	125	32		90	156	38	M12	35	2.5	L121-34C125×32



										CODE
4"	100	32		75	128	32	10×35	63	2.5	C121-34C100×32
5"	125	32		90	156	38	10×35	63	2.5	C121-34C125×32



塑芯 TPR 轮 / 轴套式
Wheel Code: 34C
Wheel made of electrostatic resistand thermoplastic rubber, Wheel center is plastic, Plain bearing



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing

推车轮
Casters for trolley series

手推车轮　Casters for cart 100mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster



										CODE
4"	100	32		75	128	10.5	64×64×3	2.5		D139-34C100×32
5"	125	32		90	150	10.5	64×64×3	2.5		D139-34C125×32



										CODE
4"	100	32		75	128	32	10.5	64×64×3	2.5	P139-34C100×32
5"	125	32		90	150	36	10.5	64×64×3	2.5	P139-34C125×32



塑芯 TPR 轮 / 轴套式
Wheel Code: 34C
Wheel made of electrostatic resistand thermoplastic rubber, Wheel center is plastic, Plain bearing



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing

推车轮
Casters for trolley series

台车轮 Casters for cart 150mm

- Steel housing with zinc plating, ball bearing in swivel head with black nylon cover
- Swivel plate caster/Swivel plate with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



				kg							CODE
6"	150	38		160	195	39.5	11	100×100×4	80×80	3	P109-34F150×38



				kg							CODE
6"	150	38		160	195	39.5	11	100×100×4	80×80	3	P109-34F150×38ZL
6"	150	38		160	195	39.5	11	100×100×4	80×80	3	P109-34F150×38ZR



				kg					CODE
6"	150	38		160	194.5	42.5	14.5	3	G109-34F150×38



				kg					CODE
6"	150	38		160	194.5	42.5	14.5	3	G109-34F150×38ZL
6"	150	38		160	194.5	42.5	14.5	3	G109-34F150×38ZR



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34F
Wheel tread is thermoplastic rubber,
Wheel center is plastic,
Ball bearing

推车轮
Casters for trolley series

手推车轮 Casters for cart 150mm-180mm

- Steel housing with zinc plating
- Swivel screw caster



				kg							CODE
6"	150	44		150	191	65	M20	35	3		L101-34F150×44



				kg							CODE
7.2"	180	47		200	219.5	40	M20	25	3		L107-34F180×47



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34F
Wheel tread is thermoplastic rubber,
Wheel center is plastic,
Ball bearing



塑芯 TPE 轮 / 滚珠轴承
Wheel Code: 34F
Wheel tread is thermoplastic rubber,
Wheel center is plastic,
Ball bearing



塑芯天然橡胶轮 / 滚珠轴承
Wheel Code: 32F
Wheel tread is nature rubber,
Wheel center is plastic,
Ball bearing

欧式工业轮
Industrial casters for European type series

钢芯黑胶轮　Black rubber casters with steel center　80mm-200mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster



										CODE
3.2"	80	25		80	106	9	105×90×2	80×60	2	D102-11D080×25
4"	100	30		100	128	9	105×90×2	80×60	2	D102-11D100×30
5"	125	37.5		120	153	9	105×90×2	80×60	2	D102-11D125×37.5
6.4"	160	40		160	197	11	140×115×3	105×80	3	D102-11D160×40
8"	200	50		210	240	11	140×115×3	105×80	3	D102-11D200×50



										CODE
3.2"	80	25		80	106	37.5	9	105×82.5×3	80×60	2.5	P102-11D080×25
4"	100	30		100	128	40	9	105×82.5×3	80×60	2.5	P102-11D100×30
5"	125	37.5		120	153	47	9	105×82.5×3	80×60	2.5	P102-11D125×37.5
6.4"	160	40		160	197	68	11	135×105×3.5	105×80	3	P102-11D160×40
8"	200	50		210	240	68	11	135×105×3.5	105×80	3	P102-11D200×50



										CODE
3.2"	80	25		80	106	37.5	9	105×82.5×3	80×60	2.5	P102-11D080×25S
4"	100	30		100	128	40	9	105×82.5×3	80×60	2.5	P102-11D100×30S
5"	125	37.5		120	153	47	9	105×82.5×3	80×60	2.5	P102-11D125×37.5S
6.4"	160	40		160	197	68	11	135×105×3.5	105×80	3	P102-11D160×40S
8"	200	50		210	240	68	11	135×105×3.5	105×80	3	P102-11D200×50S

欧式工业轮
Industrial casters for European type series

钢芯黑胶轮　Black rubber casters with steel center　80mm-200mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



									CODE
3.2"	80	25		80	106	37.5	12.1	2.5	G102-11D080×25
4"	100	30		100	128	40	12.1	2.5	G102-11D100×30
5"	125	37.5		120	153	47	12.1	2.5	G102-11D125×37.5
6.4"	160	40		160	197	68	16.1	3	G102-11D160×40
8"	200	50		210	240	68	16.1	3	G102-11D200×50



									CODE
3.2"	80	25		80	106	37.5	12.1	2.5	G102-11D080×25S
4"	100	30		100	128	40	12.1	2.5	G102-11D100×30S
5"	125	37.5		120	153	47	12.1	2.5	G102-11D125×37.5S
6.4"	160	40		160	197	68	16.1	3	G102-11D160×40S
8"	200	50		210	240	68	16.1	3	G102-11D200×50S



钢芯黑胶轮 / 滚针轴承
Wheel Code: 11D
Wheel tread is
black rubber
Wheel certer is steel
with steel threadguards
Roller bearing



防静电钢芯黑胶轮 / 滚针轴承
Wheel Code: 18D
Wheel tread is
electrostatic-resistant rubber,
Wheel certer is steel
with steel threadguards
Roller bearing

欧式工业轮
Industrial casters for European type series

塑芯黑胶轮　Black rubber casters with plastic center　80mm-200mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



	⌀			kg						CODE
3.2"	80	25		80	106	9	105×90×2	80×60	2	D102-31D080×25
4"	100	30		100	128	9	105×90×2	80×60	2	D102-31D100×30
5"	125	37.5		120	153	9	105×90×2	80×60	2	D102-31D125×37.5
6.4"	160	40		160	197	11	140×115×3	105×80	3	D102-31D160×40
8"	200	50		210	240	11	140×115×3	105×80	3	D102-31D200×50



	⌀			kg						CODE
3.2"	80	25		80	106	37.5	9	105×82.5×3	80×60	2.5	P102-31D080×25
4"	100	30		100	128	40	9	105×82.5×3	80×60	2.5	P102-31D100×30
5"	125	37.5		120	153	47	9	105×82.5×3	80×60	2.5	P102-31D125×37.5
6.4"	160	40		160	197	68	11	135×105×3.5	105×80	3	P102-31D160×40
8"	200	50		210	240	68	11	135×105×3.5	105×80	3	P102-31D200×50



	⌀			kg						CODE
3.2"	80	25		80	106	37.5	9	105×82.5×3	80×60	2.5	P102-31D080×25S
4"	100	30		100	128	40	9	105×82.5×3	80×60	2.5	P102-31D100×30S
5"	125	37.5		120	153	47	9	105×82.5×3	80×60	2.5	P102-31D125×37.5S
6.4"	160	40		160	197	68	11	135×105×3.5	105×80	3	P102-31D160×40S
8"	200	50		210	240	68	11	135×105×3.5	105×80	3	P102-31D200×50S

欧式工业轮
Industrial casters for European type series

塑芯黑胶轮　Black rubber casters with plastic center　80mm-200mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



	⌀			kg					CODE
3.2"	80	25		80	106	37.5	12.1	2.5	G102-31D080×25
4"	100	30		100	128	40	12.1	2.5	G102-31D100×30
5"	125	37.5		120	153	47	12.1	2.5	G102-31D125×37.5
6.4"	160	40		160	197	68	16.1	3	G102-31D160×40
8"	200	50		210	240	68	16.1	3	G102-31D200×50



	⌀			kg					CODE
3.2"	80	25		80	106	37.5	12.1	2.5	G102-31D080×25S
4"	100	30		100	128	40	12.1	2.5	G102-31D100×30S
5"	125	37.5		120	153	47	12.1	2.5	G102-31D125×37.5S
6.4"	160	40		160	197	68	16.1	3	G102-31D160×40S
8"	200	50		210	240	68	16.1	3	G102-31D200×50S



塑芯黑胶轮 / 滚针轴承

Wheel Code: 31D

Wheel tread is
black rubber
Wheel center is plastic,
Roller bearing

欧式工业轮
Industrial casters for European type series

塑芯灰胶轮　Grey rubber casters with plastic center　80mm-200mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



	⌀			kg							CODE
3.2"	80	25		80	106	9	105×90×2	80×60	2	D102-32D080×25
4"	100	30		100	128	9	105×90×2	80×60	2	D102-32D100×30
5"	125	37.5		120	153	9	105×90×2	80×60	2	D102-32D125×37.5
6.4"	160	40		160	197	11	140×115×3	105×80	3	D102-32D160×40
8"	200	50		210	240	11	140×115×3	105×80	3	D102-32D200×50



	⌀			kg							CODE
3.2"	80	25		80	106	37.5	9	105×82.5×3	80×60	2.5	P102-32D080×25
4"	100	30		100	128	40	9	105×82.5×3	80×60	2.5	P102-32D100×30
5"	125	37.5		120	153	47	9	105×82.5×3	80×60	2.5	P102-32D125×37.5
6.4"	160	40		160	197	68	11	135×105×3.5	105×80	3	P102-32D160×40
8"	200	50		210	240	68	11	135×105×3.5	105×80	3	P102-32D200×50



	⌀			kg							CODE
3.2"	80	25		80	106	37.5	9	105×82.5×3	80×60	2.5	P102-32D080×25S
4"	100	30		100	128	40	9	105×82.5×3	80×60	2.5	P102-32D100×30S
5"	125	37.5		120	153	47	9	105×82.5×3	80×60	2.5	P102-32D125×37.5S
6.4"	160	40		160	197	68	11	135×105×3.5	105×80	3	P102-32D160×40S
8"	200	50		210	240	68	11	135×105×3.5	105×80	3	P102-32D200×50S

欧式工业轮
Industrial casters for European type series

塑芯灰胶轮　Grey rubber casters with plastic center　80mm-200mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



	⌀			kg					CODE
3.2"	80	25		80	106	37.5	12.1	2.5	G102-32D080×25
4"	100	30		100	128	40	12.1	2.5	G102-32D100×30
5"	125	37.5		120	153	47	12.1	2.5	G102-32D125×37.5
6.4"	160	40		160	197	68	16.1	3	G102-32D160×40
8"	200	50		210	240	68	16.1	3	G102-32D200×50



	⌀			kg					CODE
3.2"	80	25		80	106	37.5	12.1	2.5	G102-32D080×25S
4"	100	30		100	128	40	12.1	2.5	G102-32D100×30S
5"	125	37.5		120	153	47	12.1	2.5	G102-32D125×37.5S
6.4"	160	40		160	197	68	16.1	3	G102-32D160×40S
8"	200	50		210	240	68	16.1	3	G102-32D200×50S



塑芯灰胶轮 / 滚针轴承

Wheel Code: 32D

Wheel tread is
grey rubber
Wheel center is plastic,
Roller bearing

欧式工业轮
Industrial casters for European type series

白尼龙轮 Nylon casters 80mm-200mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



	Ø			kg						CODE
3.2"	80	35		100	106	9	105×90×2	80×60	2	D102-20D080×35
4"	100	35		120	128	9	105×90×2	80×60	2	D102-20D100×35
5"	125	35		160	153	9	105×90×2	80×60	2	D102-20D125×35
6.4"	160	40		200	197	11	140×115×3	105×80	3	D102-20D160×40
8"	200	50		310	240	11	140×115×3	105×80	3	D102-20D200×50



	Ø			kg							CODE
3.2"	80	35		100	106	37.5	9	105×82.5×3	80×60	2.5	P102-20D080×35
4"	100	35		120	128	40	9	105×82.5×3	80×60	2.5	P102-20D100×35
5"	125	35		160	153	47	9	105×82.5×3	80×60	2.5	P102-20D125×35
6.4"	160	40		200	197	68	11	135×105×3.5	105×80	3	P102-20D160×40
6"	200	50		310	240	68	11	135×105×3.5	105×80	3	P102-20D200×50



	Ø			kg							CODE
3.2"	80	35		100	106	37.5	9	105×82.5×3	80×60	2.5	P102-20D080×35S
4"	100	35		120	128	40	9	105×82.5×3	80×60	2.5	P102-20D100×35S
5"	125	35		160	153	47	9	105×82.5×3	80×60	2.5	P102-20D125×35S
6.4"	160	40		200	197	68	11	135×105×3.5	105×80	3	P102-20D160×40S
8"	200	50		310	240	68	11	135×105×3.5	105×80	3	P102-20D200×50S

欧式工业轮
Industrial casters for European type series

白尼龙轮 Nylon casters 80mm-200mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



	Ø			kg					CODE
3.2"	80	35		100	106	37.5	12.1	2.5	G102-20D080×35
4"	100	35		120	128	40	12.1	2.5	G102-20D100×35
5"	125	35		160	153	47	12.1	2.5	G102-20D125×35
6.4"	160	40		200	197	68	16.1	3	G102-20D160×40
8"	200	50		310	240	68	16.1	3	G102-20D200×50



	Ø			kg					CODE
3.2"	80	35		100	106	37.5	12.1	2.5	G102-20D080×35S
4"	100	35		120	128	40	12.1	2.5	G102-20D100×35S
5"	125	35		160	153	47	12.1	2.5	G102-20D125×35S
6.4"	160	40		200	197	68	16.1	3	G102-20D160×40S
8"	200	50		310	240	68	16.1	3	G102-20D200×50S



白尼龙轮 / 滚针轴承
Wheel Code: 20D
Wheel made of
nylon
with steel threadguards
Roller bearing



白尼龙轮 / 轴套式
Wheel Code: 20C
Wheel made of
nylon
Plain bearing

欧式工业轮
Industrial casters for European type series

白尼龙芯聚氨酯轮　Polyurethane casters with nylon center　80mm-200mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



	Ø			kg							CODE
3.2"	80	30		100	106	9	105×90×2	80×60	2	D102-26D080×30
4"	100	30		120	128	9	105×90×2	80×60	2	D102-26D100×30
5"	125	35		150	153	9	105×90×2	80×60	2	D102-26D125×35
6.4"	160	45		200	197	11	140×115×3	105×80	3	D102-26D160×45
8"	200	50		300	240	11	140×115×3	105×80	3	D102-26D200×50



	Ø			kg							CODE
3.2"	80	30		100	106	37.5	9	105×82.5×3	80×60	2.5	P102-26D080×30
4"	100	30		120	128	40	9	105×82.5×3	80×60	2.5	P102-26D100×30
5"	125	35		150	153	47	9	105×82.5×3	80×60	2.5	P102-26D125×35
6.4"	160	45		200	197	68	11	135×105×3.5	105×80	3	P102-26D160×45
8"	200	50		300	240	68	11	135×105×3.5	105×80	3	P102-26D200×50



	Ø			kg							CODE
3.2"	80	30		100	106	37.5	9	105×82.5×3	80×60	2.5	P102-26D080×30S
4"	100	30		120	128	40	9	105×82.5×3	80×60	2.5	P102-26D100×30S
5"	125	35		150	153	47	9	105×82.5×3	80×60	2.5	P102-26D125×35S
6.4"	160	45		200	197	68	11	135×105×3.5	105×80	3	P102-26D160×45S
8"	200	50		300	240	68	11	135×105×3.5	105×80	3	P102-26D200×50S



白尼龙芯红聚氨酯轮 / 滚针轴承
Wheel Code: 26D
Wheel tread is polyurethane,
Wheel center is nylon,
Roller bearing



白尼龙芯红聚氨酯轮 / 轴套式
Wheel Code: 26C
Wheel tread is polyurethane,
Wheel center is nylon,
plain bearing

欧式工业轮
Industrial casters for European type series

白尼龙芯聚氨酯轮　Polyurethane casters with nylon center　80mm-200mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



	Ø			kg					CODE
3.2"	80	30		100	106	37.5	12.1	2.5	G102-26D080×30
4"	100	30		120	128	40	12.1	2.5	G102-26D100×30
5"	125	35		150	153	47	12.1	2.5	G102-26D125×35
6.4"	160	45		200	197	68	16.1	3	G102-26D160×45
8"	200	50		300	240	68	16.1	3	G102-26D200×50



	Ø			kg					CODE
3.2"	80	30		100	106	37.5	12.1	2.5	G102-26D080×30S
4"	100	30		120	128	40	12.1	2.5	G102-26D100×30S
5"	125	35		150	153	47	12.1	2.5	G102-26D125×35S
6.4"	160	45		200	197	68	16.1	3	G102-26D160×45S
8"	200	50		300	240	68	16.1	3	G102-26D200×50S



塑料芯聚氨酯轮 / 滚针轴承
Wheel Code: 36D
Wheel tread is polyurethane,
Wheel center is plastic,
Roller bearing



塑料芯聚氨酯轮 / 轴套式
Wheel Code: 36C
Wheel tread is polyurethane,
Wheel center is plastic,
plain bearing

欧式工业轮
Industrial casters for European type series

尼龙芯蓝色弹力轮　Elastic rubber casters with nylon center　80mm-200mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
3.2"	80	32		100	106	9	105×90×2	80×60	2	D102-23D080×32
4"	100	33		130	128	9	105×90×2	80×60	2	D102-23D100×33
5"	125	36		180	153	9	105×90×2	80×60	2	D102-23D125×36
6.4"	160	45		260	197	11	140×115×3	105×80	3	D102-23D160×45
8"	200	50		320	240	11	140×115×3	105×80	3	D102-23D200×50



										CODE
3.2"	80	32		100	106	37.5	9	105×82.5×3	80×60	2.5	P102-23D080×32
4"	100	33		130	128	40	9	105×82.5×3	80×60	2.5	P102-23D100×33
5"	125	36		180	153	47	9	105×82.5×3	80×60	2.5	P102-23D125×36
6.4"	160	45		260	197	68	11	135×105×3.5	105×80	3	P102-23D160×45
8"	200	50		320	240	68	11	135×105×3.5	105×80	3	P102-23D200×50



										CODE
3.2"	80	32		100	106	37.5	9	105×82.5×3	80×60	2.5	P102-23D080×32S
4"	100	33		130	128	40	9	105×82.5×3	80×60	2.5	P102-23D100×33S
5"	125	36		180	153	47	9	105×82.5×3	80×60	2.5	P102-23D125×36S
6.4"	160	45		260	197	68	11	135×105×3.5	105×80	3	P102-23D160×45S
8"	200	50		320	240	68	11	135×105×3.5	105×80	3	P102-23D200×50S

欧式工业轮
Industrial casters for European type series

尼龙芯蓝色弹力轮　Elastic rubber casters with nylon center　80mm-200mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



									CODE
3.2"	80	32		100	106	37.5	12.1	2.5	G102-23D080×32
4"	100	33		130	128	40	12.1	2.5	G102-23D100×33
5"	125	36		180	153	47	12.1	2.5	G102-23D125×36
6.4"	160	45		260	197	68	16.1	3	G102-23D160×45
8"	200	50		320	240	68	16.1	3	G102-23D200×50



									CODE
3.2"	80	32		100	106	37.5	12.1	2.5	G102-23D080×32S
4"	100	33		130	128	40	12.1	2.5	G102-23D100×33S
5"	125	36		180	153	47	12.1	2.5	G102-23D125×36S
6.4"	160	45		260	197	68	16.1	3	G102-23D160×45S
8"	200	50		320	240	68	16.1	3	G102-23D200×50S



尼龙芯弹力胶轮 / 滚针轴承
Wheel Code: 23D
Wheel tread is elastic rubber,
Wheel center is nylon,
Roller bearing



尼龙芯弹力胶轮 / 轴套式
Wheel Code: 23C
Wheel tread is elastic rubber,
Wheel center is nylon,
Plain bearing

欧式工业轮
Industrial casters for European type series

硬橡胶轮 Hard rubber casters 75mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
3"	75	32		80	103.5	9	105×90×2	80×60	2	D106-53B075×32
4"	100	32		110	128	9	105×90×2	80×60	2	D102-53B100×32
5"	125	32		130	153	9	105×90×2	80×60	2	D102-53B125×32



										CODE
3"	75	32		80	103.5	37.5	9	105×82.5×3	80×60	2.5	P106-53B075×32
4"	100	32		110	128	40	9	105×82.5×3	80×60	2.5	P102-53B100×32
5"	125	32		130	153	47	9	105×82.5×3	80×60	2.5	P102-53B125×32



										CODE
3"	75	32		80	103.5	37.5	9	105×82.5×3	80×60	2.5	P106-53B075×32S
4"	100	32		110	128	40	9	105×82.5×3	80×60	2.5	P102-53B100×32S
5"	125	32		130	153	47	9	105×82.5×3	80×60	2.5	P102-53B125×32S



硬橡胶轮 / 整体式
Wheel Code: 53B
Wheel made of
hard rubber
no steel bush

欧式工业轮
Industrial casters for European type series

硬橡胶轮 Hard rubber casters 75mm-125mm

- Steel housing with zinc plating
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
3"	75	32		80	111.5	37.5	M12	25	2.5	L106-53B075×32
4"	100	32		110	136	40	M12	25	2.5	L102-53B100×32
5"	125	32		130	160	47	M12	25	2.5	L102-53B125×32



										CODE
3"	75	32		80	111.5	37.5	M12	25	2.5	L106-53B075×32S
4"	100	32		110	136	40	M12	25	2.5	L102-53B100×32S
5"	125	32		130	160	47	M12	25	2.5	L102-53B125×32S



									CODE
3"	75	32		80	103.5	37.5	12.1	2.5	G106-53B075×32
4"	100	32		110	128	40	12.1	2.5	G102-53B100×32
5"	125	32		130	153	47	12.1	2.5	G102-53B125×32



									CODE
3"	75	32		80	103.5	37.5	12.1	2.5	G106-53B075×32S
4"	100	32		110	128	40	12.1	2.5	G102-53B100×32S
5"	125	32		130	153	47	12.1	2.5	G102-53B125×32S

欧式工业轮
Industrial casters for European type series

耐热轮 Heat resisting casters 80mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
3.2"	80	35		100	106	9	105×90×2	80×60	2	D102-61C080×35
4"	100	35		120	125	9	105×90×2	80×60	2	D102-61C100×35
5"	125	35		140	153	9	105×90×2	80×60	2	D102-61C125×35



										CODE
3.2"	80	35		100	106	37.5	9	105×82.5×3	80×60	2.5	P102-61C080×35
4"	100	35		120	128	40	9	105×82.5×3	80×60	2.5	P102-61C100×35
5"	125	35		140	153	47	9	105×82.5×3	80×60	2.5	P102-61C125×35



										CODE
3.2"	80	35		100	106	37.5	9	105×82.5×3	80×60	2.5	P102-61C080×35S
4"	100	35		120	128	40	9	105×82.5×3	80×60	2.5	P102-61C100×35S
5"	125	35		140	153	47	9	105×82.5×3	80×60	2.5	P102-61C125×35S

欧式工业轮
Industrial casters for European type series

耐热轮 Heat resisting casters 80mm-125mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



									CODE
3.2"	80	35		100	106	37.5	12.1	2.5	G102-61C080×35
4"	100	35		120	128	40	12.1	2.5	G102-61C100×35
5"	125	35		140	153	47	12.1	2.5	G102-61C125×35



									CODE
3.2"	80	35		100	106	37.5	12.1	2.5	G102-61C080×35S
4"	100	35		120	128	40	12.1	2.5	G102-61C100×35S
5"	125	35		140	153	47	12.1	2.5	G102-61C125×35S



耐热轮 / 轴套式
Wheel Code: 61C
Wheel made of
heat resisting bakelite
resistant temperature 280 ℃
Plain bearing



耐热轮 / 双滚珠轴承轴
Wheel Code: 61F
Wheel made of
heat resisting bakelite
resistant temperature 280 ℃
Double ball bearings

欧式工业轮
Industrial casters for European type series

耐热轮 Heat resisting casters 80mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



	⌀			kg						CODE
3.2"	80	35		80	106	9	105×90×2	80×60	2	D102-63C080×35
4"	100	35		100	128	9	105×90×2	80×60	2	D102-63C100×35
5"	125	35		150	153	9	105×90×2	80×60	2	D102-63C125×35



	⌀			kg							CODE
3.2"	80	35		80	106	37.5	9	105×82.5×3	80×60	2.5	P102-63C080×35
4"	100	35		100	128	37.5	9	105×82.5×3	80×60	2.5	P102-63C100×35
5"	125	35		150	153	41	9	105×82.5×3	80×60	2.5	P102-63C125×35



	⌀			kg							CODE
3.2"	80	35		80	106	37.5	9	105×82.5×3	80×60	2.5	P102-63C080×35S
4"	100	35		100	128	40	9	105×82.5×3	80×60	2.5	P102-63C100×35S
5"	125	35		150	153	47	9	105×82.5×3	80×60	2.5	P102-63C125×35S

欧式工业轮
Industrial casters for European type series

耐热轮 Heat resisting casters 80mm-125mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



	⌀			kg					CODE
3.2"	80	35		80	106	37.5	12.1	2.5	G102-63C080×35
4"	100	35		100	128	40	12.1	2.5	G102-63C100×35
5"	125	35		150	153	47	12.1	2.5	G102-63C125×35



	⌀			kg					CODE
3.2"	80	35		80	106	37.5	12.1	2.5	G102-63C080×35S
4"	100	35		100	128	40	12.1	2.5	G102-63C100×35S
5"	125	35		150	153	47	12.1	2.5	G102-63C125×35S



耐热轮 / 轴套式
Wheel Code: 63C
Wheel made of
heat resisting bakelite
resistant temperature 350 ℃
Plain bearing



耐热轮 / 轴套式
Wheel Code: 64C
Wheel made of
heat resisting bakelite
resistant temperature 320 ℃
Plain bearing

欧式工业轮
Industrial casters for European type series

三文治轮 Noise reduced casters 100mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



											CODE
4"	100	33		160	128	9	105×90×2	80×60	2		D102-51D100×33
5"	125	36		200	153	9	105×90×2	80×60	2		D102-51D125×36



											CODE
4"	100	33		160	128	40	9	105×82.5×3	80×60	2.5	P102-51D100×33
5"	125	36		200	153	47	9	105×82.5×3	80×60	2.5	P102-51D125×36



											CODE
4"	100	33		160	128	40	9	105×82.5×3	80×60	2.5	P102-51D100×33S
5"	125	36		200	153	47	9	105×82.5×3	80×60	2.5	P102-51D125×36S

欧式工业轮
Industrial casters for European type series

三文治轮 Sandwich casters 100mm-125mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



									CODE
4"	100	33		160	128	40	12.1	2.5	G102-51D100×33
5"	125	36		200	153	47	12.1	2.5	G102-51D125×36



									CODE
4"	100	33		160	128	40	12.1	2.5	G102-51D100×33S
5"	125	36		200	153	47	12.1	2.5	G102-51D125×36S



三文治轮 / 滚针轴承

Wheel Code: 51D

Wheel tread is nylon, wheel center is nylon with rubber Roller bearing

普通工业轮
Industrial casters for general type series

钢芯黑胶轮　Black rubber casters with steel center　75mm-250mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



											CODE
3"	75	25		70	97	8.5	84×72×2	62×52	2	D101-11D075×25
4"	100	30		100	128	9	105×85×2	76×56	2	D101-11D100×30
5"	125	37.5		120	153	9	105×85×2	76×56	2	D101-11D125×37.5
6"	150	40		160	185	10	138×108×2.5	103×78	2.5	D101-11D150×40A
8"	200	50		210	235	10	138×108×2.5	103×78	2.5	D101-11D200×50
10"	250	60		260	285	10	138×108×3	103×78	3	D101-11D250×60



											CODE
3"	75	25		70	97	32.5	8.5	84×72×2.5	62×52	2	P101-11D075×25
4"	100	30		100	128	40	9	105×85×2.5	76×56	2	P101-11D100×30
5"	125	37.5		120	153	47	9	105×85×2.5	76×56	2	P101-11D125×37.5
6"	150	40		160	183	68	10	138×108×3	103×78	3	P101-11D150×40A
8"	200	50		210	235	68	10	138×108×3	103×78	3	P101-11D200×50
10"	250	60		260	285	68	10	138×108×3.5	103×78	3.5	P101-11D250×60



											CODE
3"	75	25		70	97	32.5	9	84×72×2.5	62×52	2	P101-11D075×25S
4"	100	30		100	128	40	9	105×85×2.5	76×56	2	P101-11D100×30S
5"	125	37.5		120	153	47	9	105×85×2.5	76×56	2	P101-11D125×37.5S
6"	150	40		160	183	68	10	138×108×3	103×78	3	P101-11D150×40AS
8"	200	50		210	235	68	10	138×108×3	103×78	3	P101-11D200×50S
10"	250	60		260	285	68	10	138×108×3.5	103×78	3.5	P101-11D250×60S



钢芯黑胶轮 / 滚针轴承
Wheel Code: 11D
Wheel tread is
elastic rubber,
Wheel center is steel,
Roller bearing



导电钢芯黑胶轮 / 滚针轴承
Wheel Code: 18D
Wheel tread is
electrostatic-resistant rubber,
Wheel center is steel,
Roller bearing

普通工业轮
Industrial casters for general type series

钢芯黑胶轮　Black rubber casters with steel center　75mm-250mm

- Steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
3"	75	25		70	102	32.5	M10	24	2	L101-11D075×25
4"	100	30		100	136	40	M12	25	2	L101-11D100×30
5"	125	37.5		120	160	47	M16	25	2	L101-11D125×37.5
6"	150	40		160	191	68	M20	35	3	L101-11D150×40A
8"	200	50		210	243	68	M20	35	3	L101-11D200×50
10"	250	60		260	293	68	M20	35	3.5	L101-11D250×60



										CODE
3"	75	25		70	102	32.5	M10	24	2	L101-11D075×25S
4"	100	30		100	136	40	M12	25	2	L101-11D100×30S
5"	125	37.5		120	160	47	M16	25	2	L101-11D125×37.5S
6"	150	40		160	191	68	M20	35	3	L101-11D150×40AS
8"	200	50		210	243	68	M20	35	3	L101-11D200×50S
10"	200	60		260	293	68	M20	35	3.5	L101-11D250×60S



									CODE
3"	75	25		70	97	32.5	10.1	2	G101-11D075×25
4"	100	30		100	128	40	16.1	2	G101-11D100×30
5"	125	37.5		120	153	47	16.1	2	G101-11D125×37.5
6"	150	40		160	183	68	16.1	3	G101-11D150×40A
8"	200	50		210	235	68	16.1	3	G101-11D200×50
10"	250	55		260	285	68	16.1	3.5	G101-11D250×60



									CODE
3"	75	25		70	97	32.5	10.1	2	G101-11D075×25S
4"	100	30		100	128	40	16.1	2	G101-11D100×30S
5"	125	37.5		120	153	47	16.1	2	G101-11D125×37.5S
6"	150	40		160	183	68	16.1	3	G101-11D150×40AS
8"	200	50		210	235	68	16.1	3	G101-11D200×50S
10"	250	60		260	285	68	16.1	3.5	G101-11D250×60S

普通工业轮
Industrial casters for general type series

塑芯黑胶轮　Black rubber casters with plastic center　75mm-250mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



											CODE
3"	75	25		70	97	8.5	84×72×2	62×52	2	D101-31D075×25
4"	100	30		100	128	9	105×85×2	76×56	2	D101-31D100×30
5"	125	37.5		120	153	9	105×85×2	76×56	2	D101-31D125×37.5
6"	150	40		160	185	10	138×108×2.5	103×78	2.5	D101-31D150×40A
8"	200	50		210	235	10	138×108×2.5	103×78	3	D101-31D200×50
10"	250	60		260	285	10	138×108×3	103×78	3	D101-31D250×60



											CODE
3"	75	25		70	97	32.5	8.5	84×72×2.5	62×52	2	P101-31D075×25
4"	100	30		100	128	40	9	105×85×2.5	76×56	2	P101-31D100×30
5"	125	37.5		120	153	47	9	105×85×2.5	76×56	2	P101-31D125×37.5
6"	150	40		160	183	68	10	138×108×3	103×78	3	P101-31D150×40A
8"	200	50		210	235	68	10	138×108×3	103×78	3	P101-31D200×50
10"	250	60		260	285	68	10	138×108×3.5	103×78	3.5	P101-31D250×60



											CODE
3"	75	25		70	97	32.5	8.5	84×72×2.5	62×52	2	P101-31D075×25S
4"	100	30		100	128	40	9	105×85×2.5	76×56	2	P101-31D100×30S
5"	125	37.5		120	153	47	9	105×85×2.5	76×56	2	P101-31D125×37.5S
6"	150	40		160	183	68	10	138×108×3	103×78	3	P101-31D150×40AS
8"	200	50		210	235	68	10	138×108×3	103×78	3	P101-31D200×50S
10"	250	60		260	285	68	10	138×108×3.5	103×78	3.5	P101-31D250×60S



塑芯黑胶轮

Wheel Code: 31D

Wheel tread is
black rubber
Wheel center is plastic,
Roller bearing

普通工业轮
Industrial casters for general type series

塑芯黑胶轮　Black rubber casters with plastic center　75mm-250mm

- Steel housing with zinc plating
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
3"	75	25		70	102	32.5	M10	24	2	L101-31D075×25
4"	100	30		100	136	40	M12	25	2	L101-31D100×30
5"	125	37.5		120	160	47	M16	25	2	L101-31D125×37.5
6"	150	40		160	191	68	M20	35	3	L101-31D150×40A
8"	200	50		210	243	68	M20	35	3	L101-31D200×50
10"	250	55		260	293	68	M20	35	3.5	L101-31D250×60



										CODE
3"	75	25		70	102	32.5	M10	24	2	L101-31D075×25S
4"	100	30		100	136	40	M12	25	2	L101-31D100×30S
5"	125	37.5		120	160	47	M16	25	2	L101-31D125×37.5S
6"	150	40		160	191	68	M20	35	3	L101-31D150×40AS
8"	200	50		210	243	68	M20	35	3	L101-31D200×50S
10"	250	60		260	293	68	M20	35	3.5	L101-31D250×60S



									CODE
3"	75	25		70	97	32.5	10.1	2	G101-31D075×25
4"	100	30		100	128	40	12.1	2	G101-31D100×30
5"	125	37.5		120	153	47	12.1	2	G101-31D125×37.5
6"	150	40		160	183	68	12.1	3	G101-31D150×40A
8"	200	50		210	235	68	16.1	3	G101-31D200×50
10"	250	60		260	285	68	16.1	3.5	G101-31D250×60



									CODE
3"	75	25		80	97	32.5	10.1	2	G101-31D075×25S
4"	100	30		100	128	40	12.1	2	G101-31D100×30S
5"	125	37.5		120	153	47	12.1	2	G101-31D125×37.5S
6"	150	40		160	183	68	12.1	3	G101-31D150×40AS
8"	200	50		210	235	68	16.1	3	G101-31D200×50S
10"	250	60		260	285	68	16.1	3.5	G101-31D250×60S

普通工业轮
Industrial casters for general type series

白塑料轮 Plastic casters 75mm-200mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



											CODE
3"	75	25		70	97	8.5	84×72×2	62×52	2	D101-30D075×25
4"	100	30		100	128	9	105×85×2	76×56	2	D101-30D100×30A
5"	125	35		120	153	9	105×85×2	76×56	2	D101-30D125×35A
6"	150	40		160	185	10	138×108×2.5	103×78	2.5	D101-30D150×40A
8"	200	50		210	235	10	138×108×2.5	103×78	3	D101-30D200×50



											CODE
3"	75	25		70	97	32.5	8.5	84×72×2.5	62×52	2	P101-30D075×25
4"	100	30		100	125	40	9	105×85×2.5	76×56	2	P101-30D100×30A
5"	125	35		120	153	47	9	105×85×2.5	76×56	2	P101-30D125×35A
6"	150	40		160	183	68	10	138×108×3	103×78	3	P101-30D150×40A
8"	200	50		210	235	68	10	138×108×3	103×78	3	P101-30D200×50



											CODE
3"	75	25		70	97	32.5	8.3	84×72×2.5	62×52	2	P101-30D075×25S
4"	100	30		100	128	40	9	105×85×2.5	76×56	2	P101-30D100×30AS
5"	125	35		120	153	47	9	105×85×2.5	76×56	2	P101-30D125×35AS
6"	150	40		160	183	68	10	138×108×3	103×78	3	P101-30D150×40AS
8"	200	50		210	235	68	10	138×108×3	103×78	3	P101-30D200×50S



白塑料轮 / 滚针轴承
Wheel Code: 30D
Wheel made of white plastic Roller bearing



白塑料轮 / 轴套式
Wheel Code:30C
Wheel made of white plastic plain bearing

普通工业轮
Industrial casters for general type series

白塑料轮 Plastic casters 75mm-200mm

- Steel housing with zinc plating
- Swivel screw caster/Swivel screw with brake caster/Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
3"	75	25		70	102	32.5	M10	24	2	L101-30D075×25
4"	100	30		100	136	40	M12	25	2	L101-30D100×30A
5"	125	35		120	160	47	M16	25	2	L101-30D125×35A
6"	150	40		160	191	68	M20	35	3	L101-30D150×40A
8"	200	50		210	243	68	M20	35	3	L101-30D200×50



										CODE
3"	75	25		70	102	32.5	M10	24	2	L101-30D075×25S
4"	100	30		100	136	40	M12	25	2	L101-30D100×30AS
5"	125	35		120	160	47	M16	25	2	L101-30D125×35AS
6"	150	40		160	191	68	M20	35	3	L101-30D150×40AS
8"	200	50		210	243	68	M20	35	3	L101-30D200×50S



									CODE
3"	75	25		70	97	32.5	10.1	2	G101-30D075×25
4"	100	30		100	128	40	12.1	2	G101-30D100×30A
5"	125	35		120	153	47	12.1	2	G101-30D125×35A
6"	150	40		160	183	68	16.1	3	G101-30D150×40A
8"	200	50		210	235	68	16.1	3	G101-30D200×50



									CODE
3"	75	25		70	97	32.5	10.1	2	G101-30D075×25S
4"	100	30		100	128	40	12.1	2	G101-30D100×30AS
5"	125	35		120	153	47	12.1	2	G101-30D125×35AS
6"	150	40		160	183	68	16.1	3	G101-30D150×40AS
8"	200	50		210	235	68	16.1	3	G101-30D200×50S

普通工业轮
Industrial casters for general type series

塑芯聚氨酯轮 Polyurethane casters 75mm-125mm

- Steel housing with zinc plating.
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
3"	75	25		80	97	8.5	84×72×2	62×52	2	D101-36D075×25
4"	100	34		110	128	9	105×85×2	76×56	2	D101-36D100×34
5"	125	40		150	153	9	105×85×2	76×56	2	D101-36D125×40



										CODE
3"	75	25		80	97	32.5	8.5	84×72×2.5	62×52	2	P101-36D075×25
4"	100	34		110	128	40	9	105×85×2.5	76×56	2	P101-36D100×34
5"	125	40		150	153	47	9	105×85×2.5	76×56	2	P101-36D125×40



										CODE
3"	75	25		80	97	32.5	8.5	84×72×2.5	62×52	2	P101-36D075×25S
4"	100	34		110	128	40	9	105×85×2.5	76×56	2	P101-36D100×34S
5"	125	40		150	153	47	9	105×85×2.5	76×56	2	P101-36D125×40S



塑芯聚氨酯轮 / 滚针轴承

Wheel Code: 36D

Wheel tread is polyurethane,
Wheel center is plastic,
Roller bearing

普通工业轮
Industrial casters for general type series

塑芯聚氨酯轮 Polyurethane casters 75mm-125mm

- Steel housing with zinc plating.
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
3"	75	25		80	102	32.5	M10	24	2	L101-36D075×25
4"	100	34		110	136	40	M12	25	2	L101-36D100×34
5"	125	40		150	160	47	M16	25	2	L101-36D125×40



										CODE
3"	75	25		80	102	32.5	M10	24	2	L101-36D075×25S
4"	100	34		110	136	40	M12	25	2	L101-36D100×34S
5"	125	40		150	160	47	M16	25	2	L101-36D125×40S



									CODE
3"	75	25		80	97	32.5	10.1	2	G101-36D075×25
4"	100	34		110	128	40	12.1	2	G101-36D100×34
5"	125	40		150	153	47	12.1	2	G101-36D125×40



									CODE
3"	75	25		80	97	32.5	10.1	2	G101-36D075×25S
4"	100	34		110	128	40	12.1	2	G101-36D100×34S
5"	125	40		150	153	47	12.1	2	G101-36D125×40S

普通工业轮
Industrial casters for general type series

塑芯聚氨酯轮 Polyurethane casters 80mm-125mm

- Steel housing with zinc plating.
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



											CODE
3.2"	80	30		80	107.5	9	104×85×2	76×56	2		D103-36F080×30
4"	100	30		100	128	9	104×85×2	76×56	2		D103-36F100×30
5"	125	30		120	155	9	104×85×2	76×56	2		D103-36F125×30



											CODE
3.2"	80	30		80	107.5	41	9	104×85×2	76×56	2	P103-36F080×30
4"	100	30		100	128	41	9	104×85×2	76×56	2	P103-36F100×30
5"	125	30		120	155	41	9	104×85×2	76×56	2	P103-36F125×30



									CODE
3.2"	80	30		80	107.5	41	12.1	2	G103-36F080×30
4"	100	30		100	129.5	41	12.1	2	G103-36F100×30
5"	125	30		120	156.5	41	12.1	2	G103-36F125×30



塑芯聚氨酯轮 / 滚珠轴承
Wheel Code: 36F
Wheel tread is polyurethane,
Wheel center is plastic,
Ball bearing



白 PP 轮 / 轴套式
Wheel Code: 30C
Wheel made of white polyamide
no bearing



塑芯黑胶轮 / 滚针轴承
Wheel Code: 31D
Wheel tread is black rubber,
Wheel center is plastic,
Roller bearing

医疗脚轮
Medical caster series

医疗静音轮 Medical casters 100mm-125mm

- ABS and steel housing
- Swivel plate caster/Swivel plate with brake caster/Swivel screw caster/Swivel screw with brake caster/ Swivel pin caster/Swivel pin with brake caster



											CODE
4"	100	30		80	147	39	8.3	92×63.5×3	73×42.8	2.5	P135-34E100X30
5"	125	32		100	172	39	8.3	92×63.5×3	73×42.8	2.5	P135-34E125X32



											CODE
4"	100	30		80	147	39	8.3	92×63.5×3	73×42.8	2.5	P135-34E100X30S
5"	125	32		100	172	39	8.3	92×63.5×3	73×42.8	2.5	P135-34E125X32S



										CODE
4"	100	30		80	145	39	M12	25	2.5	L135-34E100X30
5"	125	32		100	170	39	M12	25	2.5	L135-34E125X32



										CODE
4"	100	30		80	136.5	39	21.5	55	2.5	C135-34E100X30
5"	125	32		100	162.5	39	21.5	55	2.5	C135-34E125X32



塑芯 TPE 轮 / 滚珠轴承
Code:L135-34ES**
Wheel tread is thermoplastic rubber
Wheel center is plastic
Ball bearing
braked with two pedals



塑芯 TPE 轮 / 滚珠轴承
Code:C135-34ES**
Wheel tread is thermoplastic rubber,
Wheel center is plastic,
Ball bearing
braked with two pedals structure

加厚支架工业轮
Industrial casters of thick housing series

蓝色弹力轮　Elastic rubber casters with nylon center 100mm-125mm

- Thick steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



											CODE
4"	100	36		250	128	9	105×92×3.5	80×60	3.5	D161-23F100×36
5"	125	36		350	152.5	9	105×92×3.5	80×60	3.5	D161-23F125×36



											CODE
4"	100	36		250	128	45	9	105×82.5×4	80×60	3.5	P161-23F100×36
5"	125	36		350	152.5	45	9	105×82.5×4	80×60	3.5	P161-23F125×36



											CODE
4"	100	36		250	128	45	9	105×82.5×4	80×60	3.5	P161-23F100×36S
5"	125	36		350	152.5	45	9	105×82.5×4	80×60	3.5	P161-23F125×36S

加厚支架工业轮
Industrial casters of thick housing series

蓝色弹力轮　Elastic rubber casters with nylon center 100mm-125mm

- Thick steel housing with zinc plating

- Swivel bolt hole caster/Swivel bolt hole with brake caster



										CODE
4"	100	36		250	128	45	12.1	3.5		G161-23F100×36
5"	125	36		350	152.5	45	12.1	3.5		G161-23F125×36



										CODE
4"	100	36		250	128	45	12.1	3.5		G161-23F100×36S
5"	125	36		350	152.5	45	12.1	3.5		G161-23F125×36S



尼龙芯弹力胶轮 / 双滚珠轴承

Wheel Code: 23F

Wheel tread is
elastic rubber,
Wheel center is nylon,
Double ball bearings

加厚支架工业轮
Industrial casters of thick housing series

白尼龙轮　Nylon casters　100mm-125mm

- Thick steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



											CODE
4"	100	35		160	128	9	105×92×3.5	80×60	3.5	D161-20D100×35
5"	125	35		220	152.5	9	105×92×3.5	80×60	3.5	D161-20D125×35



											CODE
4"	100	35		160	128	45	9	105×82.5×4	80×60	3.5	P161-20D100×35
5"	125	35		220	152.5	45	9	105×82.5×4	80×60	3.5	P161-20D125×35



											CODE
4"	100	35		160	128	45	9	105×82.5×4	80×60	3.5	P161-20D100×35S
5"	125	35		220	152.5	45	9	105×82.5×4	80×60	3.5	P161-20D125×35S

加厚支架工业轮
Industrial casters of thick housing series

白尼龙轮　nylon casters　100mm-125mm

- Thick steel housing with zinc plating
- Swivel bolt hole caster/Swivel bolt hole with brake caster



									CODE
4"	100	35		160	128	45	12.1	3.5	G161-20D100×35
5"	125	35		220	152.5	45	12.1	3.5	G161-20D125×35



									CODE
4"	100	35		160	128	45	12.1	3.5	G161-20D100×35S
5"	125	35		220	152.5	45	12.1	3.5	G161-20D125×35S



白尼龙轮 / 滚针轴承
Wheel Code: 20D
Wheel made of
white nylon
Roller bearing



白尼龙轮 / 轴套式
Wheel Code: 20C
Wheel made of
white nylon
plain bearing

中型脚轮
Medium duty casters series

中型弹力胶轮　Elastic rubber casters　75mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



											CODE
3"	75	32		70	104	8.5	95×67×2.5	73×45	2.5	D120-33D075×32
4"	100	35		80	132	8.5	95×67×2.5	73×45	2.5	D120-33D100×35
5"	125	35		90	158	8.5	95×67×2.5	73×45	2.5	D120-33D125×35



											CODE
3"	75	32		70	104	34	8.5	95×67×2.5	73×45	2.5	P120-33D075×32
4"	100	35		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-33D100×35
5"	125	35		90	158	34	8.5	95×67×2.5	73×45	2.5	P120-33D125×35



											CODE
3"	75	32		70	104	34	8.5	95×67×2.5	73×45	2.5	P120-33D075×32Z
4"	100	35		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-33D100×35Z
5"	125	35		90	158	34	8.5	95×67×2.5	73×45	2.5	P120-33D125×35Z



											CODE
3"	75	32		70	104	34	8.5	95×67×2.5	73×45	2.5	P120-33D075×32S
4"	100	35		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-33D100×35S
5"	125	35		90	158	34	8.5	95×67×2.5	73×45	2.5	P120-33D125×35S

中型脚轮
Medium duty casters series

中型弹力胶轮　Elastic rubber casters　75mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



											CODE
3"	75	32		70	106.5	34	M12	25	2.5	L120-33D075×32
4"	100	35		80	134.5	34	M12	25	2.5	L120-33D100×35
5"	125	35		90	160.5	34	M12	25	2.5	L120-33D125×35



											CODE
3"	75	32		70	106.5	34	M12	25	2.5	L120-33D075×32S
4"	100	35		80	134.5	34	M12	25	2.5	L120-33D100×35S
5"	125	35		90	160.5	34	M12	25	2.5	L120-33D125×35S



塑芯弹力胶轮 / 滚针轴承

Wheel Code: 33D

Wheel tread is
elastic rubber,
Wheel center is plastic,
Roller bearing

中型脚轮
Medium duty casters series

中型硬橡胶轮 Hard rubber casters 75mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



										CODE
3"	75	32		70	104	8.5	95×67×2.5	73×45	2.5	D120-53B075×32
4"	100	32		80	132	8.5	95×67×2.5	73×45	2.5	D120-53B100×32
5"	125	32		90	158	8.5	95×67×2.5	73×45	2.5	D120-53B125×32



										CODE
3"	75	32		70	104	34	8.5	95×67×2.5	73×45	2.5	P120-53B075×32
4"	100	32		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-53B100×32
5"	125	32		90	158	34	8.5	95×67×2.5	73×45	2.5	P120-53B125×32



										CODE
3"	75	32		70	104	34	8.5	95×67×2.5	73×45	2.5	P120-53B075×32Z
4"	100	32		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-53B100×32Z
5"	125	32		90	158	34	8.5	95×67×2.5	73×45	2.5	P120-53B125×32Z



										CODE
3"	75	32		70	104	34	8.5	95×67×2.5	73×45	2.5	P120-53B075×32S
4"	100	32		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-53B100×35S
5"	125	32		90	158	34	8.5	95×67×2.5	73×45	2.5	P120-53B125×35S

中型脚轮
Medium duty casters series

中型硬橡胶轮 Hard rubber casters 75mm-125mm

- Steel housing with zinc plating
- Swivel screw caster/ Swivel screw with brake caster



										CODE
3"	75	32		70	106.5	34	25	M12	2.5	L120-53B075×32
4"	100	32		80	134.5	34	25	M12	2.5	L120-53B100×32
5"	125	32		90	160.5	34	25	M12	2.5	L120-53B125×32



										CODE
3"	75	32		70	106.5	34	25	M12	2.5	L120-53B075×32S
4"	100	32		80	134.5	34	25	M12	2.5	L120-53B100×32S
5"	125	32		90	160.5	34	25	M12	2.5	L120-53B125×32S



硬橡胶轮 / 整体式
Wheel Code: 53B
Wheel made of
hard rubber
no steel bush

中型脚轮
Medium duty casters series

中型 PVC 轮　Polyvinyl Chloride casters　75mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



										CODE
3"	75	30		60	104	8.5	95×67×2.5	73×45	2.5	D120-35E075×30
4"	100	30		80	132	8.5	95×67×2.5	73×45	2.5	D120-35E100×30
5"	125	32		100	158	8.5	95×67×2.5	73×45	2.5	D120-35E125×32



										CODE
3"	75	30		60	104	34	8.5	95×67×2.5	73×45	2.5	P120-35E075×30
4"	100	30		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-35E100×30
5"	125	32		100	158	34	8.5	95×67×2.5	73×45	2.5	P120-35E125×32



										CODE
3"	75	30		60	104	34	8.5	95×67×2.5	73×45	2.5	P120-35E075×30Z
4"	100	30		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-35E100×30Z
5"	125	32		100	158	34	8.5	95×67×2.5	73×45	2.5	P120-35E125×32Z



										CODE
3"	75	30		60	104	34	8.5	95×67×2.5	73×45	2.5	P120-35E075×30S
4"	100	30		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-35E100×30S
5"	125	32		100	158	34	8.5	95×67×2.5	73×45	2.5	P120-35E125×32S

中型脚轮
Medium duty casters series

中型 PVC 轮　Polyvinyl Chloride casters　75mm-125mm

- Steel housing with zinc plating
- Swivel screw caster/ Swivel screw with brake caster



										CODE
3"	75	30		60	106.5	34	M12	25	2.5	L120-35E075×30
4"	100	30		80	134.5	34	M12	25	2.5	L120-35E100×30
5"	125	32		100	160.5	34	M12	25	2.5	L120-35E125×32



										CODE
3"	75	30		60	106.5	34	M12	25	2.5	L120-35E075×30S
4"	100	30		80	134.5	34	M12	25	2.5	L120-35E100×30S
5"	125	32		100	160.5	34	M12	25	2.5	L120-35E125×32S



塑芯 PVC 轮 / 滚珠轴承

Wheel Code: 35E

Wheel tread is
Polyvinyl Chloride
Wheel center is plastic,
Ball bearing

中型脚轮
Medium duty casters series

中型 TPR 轮　Thermoplastic rubber casters 75mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



										CODE
3"	75	30		60	104	8.5	95×67×2.5	73×45	2.5	D120-34E075×30A
4"	100	30		80	132	8.5	95×67×2.5	73×45	2.5	D120-34E100×30A
5"	125	32		100	158	8.5	95×67×2.5	73×45	2.5	D120-34E125×32A



										CODE
3"	75	30		60	104	34	8.5	95×67×2.5	73×45	2.5	P120-34E075×30A
4"	100	30		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-34E100×30A
5"	125	32		100	158	34	8.5	95×67×2.5	73×45	2.5	P120-34E125×32A



										CODE
3"	75	30		60	104	34	8.5	95×67×2.5	73×45	2.5	P120-34E075×30AZ
4"	100	30		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-34E100×30AZ
5"	125	32		100	158	34	8.5	95×67×2.5	73×45	2.5	P120-34E125×32AZ



										CODE
3"	75	30		60	104	34	8.5	95×67×2.5	73×45	2.5	P120-34E075×30AS
4"	100	30		80	132	34	8.5	95×67×2.5	73×45	2.5	P120-34E100×30AS
5"	125	32		100	158	34	8.5	95×67×2.5	73×45	2.5	P120-34E125×32AS

中型脚轮
Medium duty casters series

中型 TPR 轮　Thermoplastic rubber casters 75mm-125mm

- Steel housing with zinc plating
- Swivel screw caster/ Swivel screw with brake caster



										CODE
3"	75	30		60	106.5	34	M12	25	2.5	L120-34E075×30A
4"	100	30		80	134.5	34	M12	25	2.5	L120-34E100×30A
5"	125	32		100	160.5	34	M12	25	2.5	L120-34E125×32A



										CODE
3"	75	30		60	106.5	34	M12	25	2.5	L120-34E075×30AS
4"	100	30		80	134.5	34	M12	25	2.5	L120-34E100×30AS
5"	125	32		100	160.5	34	M12	25	2.5	L120-34E125×32AS



塑芯 TPR 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing



塑芯 TPR 轮 / 滚珠轴承
Wheel Code: 34E
Wheel tread is thermoplastic rubber, Wheel center is plastic, Ball bearing

中型脚轮
Medium duty casters series

中型聚氨酯轮 Polyurethane casters 75mm-125mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



										CODE
3"	75	30		80	104	8.5	95×67×2.5	73×45	2.5	D120-36E075×30
4"	100	30		120	132	8.5	95×67×2.5	73×45	2.5	D120-36E100×30
5"	125	32		150	158	8.5	95×67×2.5	73×45	2.5	D120-36E125×32



										CODE
3"	75	30		80	104	34	8.5	95×67×2.5	73×45	2.5	P120-36E075×30
4"	100	30		120	132	34	8.5	95×67×2.5	73×45	2.5	P120-36E100×30
5"	125	32		150	158	34	8.5	95×67×2.5	73×45	2.5	P120-36E125×32



										CODE
3"	75	30		80	104	34	8.5	95×67×2.5	73×45	2.5	P120-36E075×30Z
4"	100	30		120	132	34	8.5	95×67×2.5	73×45	2.5	P120-36E100×30Z
5"	125	32		150	158	34	8.5	95×67×2.5	73×45	2.5	P120-36E125×32Z



										CODE
3"	75	30		80	104	34	8.5	95×67×2.5	73×45	2.5	P120-36E075×30S
4"	100	30		120	132	34	8.5	95×67×2.5	73×45	2.5	P120-36E100×30S
5"	125	32		150	158	34	8.5	95×67×2.5	73×45	2.5	P120-36E125×32S

中型脚轮
Medium duty casters series

中型聚氨酯轮 Polyurethane casters 75mm-125mm

- Steel housing with zinc plating
- Swivel screw caster/ Swivel screw with brake caster



										CODE
3"	75	30		80	106.5	34	M12	25	2.5	L120-36E075×30
4"	100	30		120	134.5	34	M12	25	2.5	L120-36E100×30
5"	125	32		150	160.5	34	M12	25	2.5	L120-36E125×32



										CODE
3"	75	30		80	106.5	34	M12	25	2.5	L120-36E075×30S
4"	100	30		120	134.5	34	M12	25	2.5	L120-36E100×30S
5"	125	32		150	160.5	34	M12	25	2.5	L120-36E125×32S



塑芯聚氨酯轮 / 滚珠轴承

Wheel Code: 36E

Wheel tread is polyurethane
Wheel center is plastic,
Ball bearing

垃圾箱轮
Casters for garbage bin series

塑芯黑胶轮　Black rubber casters 160mm-200mm

- Steel housing with zinc plating
- Swivel plate caster/Swivel plate with total brake caster



											CODE
6.4"	160	40		135	200	44	11	135×110×3	105×78	2.5	P150-31C160×40
8"	200	47		205	240	56	11	140×110×3	103×78	2.5	P150-31C200×47



											CODE
6.4"	160	40		135	200	44	11	135×110×3	105×78	2.5	P150-31C160×40S
8"	200	47		205	240	56	11	140×110×3	103×78	2.5	P150-31C200×47S



塑芯黑胶轮 / 轴套式
Wheel Code: 31C
Wheel tread is black rubber
Wheel center is plastic,
Plain bearing



塑芯黑胶轮 / 滚针轴承
Wheel Code: 31D
Wheel tread is black rubber
Wheel center is plastic,
Roller bearing



钢芯黑胶轮 / 滚针轴承
Wheel Code: 11D
Wheel tread is black rubber, Wheel center is pressed steel,
Roller bearing

垃圾箱轮
Casters for garbage bin series

塑芯黑胶轮　Black rubber casters 150mm-200mm

- Steel housing with zinc plating
- Fixed plate caster/Swivel plate caster/Swivel plate with total brake caster



											CODE
6"	150	40		135	183	10	140×110×2.5	103×78	2.5		D101-31C150×40
6.4"	160	40		145	195	10	140×110×2.5	103×78	2.5		D101-31C160×40
8"	200	50		170	235	10	140×110×3	103×78	3		D101-31C200×50



										CODE
6"	150	40		135	183	68	10	138×108×3	103×78	3	P101-31C150×40
6.4"	160	40		145	195	68	10	138×108×3	103×78	3	P101-31C160×40
8"	200	50		170	235	68	10	138×108×3	103×78	3	P101-31C200×50



										CODE
6"	150	40		135	183	68	10	138×108×3	103×78	3	P101-31C150×40S
6.4"	160	40		145	195	68	10	138×108×3	103×78	3	P101-31C160×40S
8"	200	50		170	235	68	10	138×108×3	103×78	3	P101-31C200×50S

不锈钢轮
Stainless steel casters series

不锈钢白尼龙芯聚氨酯轮 Stainless steel polyurethane casters with nylon center 80mm-200mm

- Stainless steel housing
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



											CODE
3.2"	80	30		130	106	9	105×90×2	80×60	2		D104-26D080×30
4"	100	30		150	128	9	105×90×2	80×60	2		D104-26D100×30
5"	125	35		200	153	9	105×90×2	80×60	2		D104-26D125×35
6.4"	160	45		320	197	11	140×115×3	105×80	3		D104-26D160×45
8"	200	50		350	240	11	140×115×3	105×80	3		D104-26D200×50



											CODE
3.2"	80	30		130	106	37.5	9	105×82.5×3	80×60	2.5	P104-26D080×30
4"	100	30		150	128	40	9	105×82.5×3	80×60	2.5	P104-26D100×30
5"	125	35		200	153	47	9	105×82.5×3	80×60	2.5	P104-26D125×35
6.4"	160	45		320	197	68	11	135×105×3	105×80	3	P104-26D160×45
8"	200	50		350	240	68	11	135×105×3	105×80	3	P104-26D200×50



											CODE
3.2"	80	30		130	106	37.5	9	105×82.5×3	80×60	2.5	P104-26D080×30S
4"	100	30		150	128	40	9	105×82.5×3	80×60	2.5	P104-26D100×30S
5"	125	35		200	153	47	9	105×82.5×3	80×60	2.5	P104-26D125×35S
6.4"	160	45		320	197	68	11	135×105×3	105×80	3	P104-26D160×45S
8"	200	50		350	240	68	11	135×105×3	105×80	3	P104-26D200×50S

不锈钢轮
Stainless steel casters series

不锈钢白尼龙芯聚氨酯轮 Stainless steel polyurethane casters with nylon center 80mm-200mm

- Stainless steel housing
- Swivel bolt hole caster/Swivel bolt hole with brake caster



											CODE
3.2"	80	30		130	106	37.5	12.1	2.5			G104-26D080×30
4"	100	30		150	128	40	12.1	2.5			G104-26D100×30
5"	125	35		200	153	47	12.1	2.5			G104-26D125×35
6.4"	160	45		320	197	68	16.1	3			G104-26D160×45
8"	200	50		350	240	68	16.1	3			G104-26D200×50



											CODE
3.2"	80	30		130	106	37.5	12.1	2.5			G104-26D080×30S
4"	100	30		150	128	40	12.1	2.5			G104-26D100×30S
5"	125	35		200	153	47	12.1	2.5			G104-26D125×35S
6.4"	160	45		320	197	68	16.1	3			G104-26D160×45S
8"	200	50		350	240	68	16.1	3			G104-26D200×50S



白尼龙芯红聚氨酯轮 / 滚针轴承
Wheel Code: 26D
Wheel tread is polyurethane,
Wheel center is nylon,
Stainless steel roller bearing



白尼龙芯红聚氨酯轮 / 轴套式
Wheel Code: 26C
Wheel tread is polyurethane,
Wheel center is nylon,
Stainless steel plain bearing

不锈钢轮
Stainless steel casters series

不锈钢白尼龙轮 Stainless steel nylon casters 80mm-200mm

- Stainless steel housing
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
3.2"	80	35		140	106	9	105×90×2	80×60	2	D104-20D080x35
4"	100	35		150	128	9	105×90×2	80×60	2	D104-20D100x35
5"	125	35		210	153	9	105×90×2	80×60	2	D104-20D125x35
6.4"	160	40		300	197	11	140×115×3	105×80	3	D104-20D160x40A
8"	200	50		350	240	11	140×115×3	105×80	3	D104-20D200x50A



										CODE
3.2"	80	35		140	106	37.5	9	105×82.5×3	80×60	2.5	P104-20D080x35
4"	100	35		150	128	40	9	105×82.5×3	80×60	2.5	P104-20D100x35
5"	125	35		210	153	47	9	105×82.5×3	80×60	2.5	P104-20D125x35
6.4"	160	40		300	197	68	11	135×105×3	105×80	3	P104-20D160x40A
8"	200	50		350	240	68	11	135×105×3	105×80	3	P104-20D200x50A



										CODE
3.2"	80	35		140	106	37.5	9	105×82.5×3	80×60	2.5	P104-20D080x35S
4"	100	35		150	128	40	9	105×82.5×3	80×60	2.5	P104-20D100x35S
5"	125	35		210	153	47	9	105×82.5×3	80×60	2.5	P104-20D125x35S
6.4"	160	40		300	197	68	11	135×105×3	105×80	3	P104-20D160x40AS
8"	200	50		350	240	68	11	135×105×3	105×80	3	P104-20D200x50SA

不锈钢轮
Stainless steel casters series

不锈钢白尼龙轮 Stainless steel nylon casters 80mm-200mm

- Stainless steel housing

- Swivel bolt hole caster/Swivel bolt hole with brake caster



									CODE
3.2"	80	35		140	106	37.5	12.1	2.5	G104-20D080x35
4"	100	35		150	128	40	12.1	2.5	G104-20D100x35
5"	125	35		210	153	47	12.1	2.5	G104-20D125x35
6.4"	160	40		300	197	68	16.1	3	G104-20D160x40A
8"	200	50		350	240	68	16.1	3	G104-20D200x50A



									CODE
3.2"	80	35		140	106	37.5	12.1	2.5	G104-20D080x35S
4"	100	35		150	128	40	12.1	2.5	G104-20D100x35S
5"	125	35		210	153	47	12.1	2.5	G104-20D125x35S
6.4"	160	40		300	197	68	16.1	3	G104-20D160x40AS
8"	200	50		350	240	68	16.1	3	G104-20D200x50AS



白尼龙轮 / 滚针轴承
Wheel Code: 20D
Wheel made of
white nylon
Stainless steel roller bearing



白尼龙轮 / 轴套式
Wheel Code: 20C
Wheel made of
white nylon
Stainless steel plain bearing

不锈钢轮
Stainless steel casters series

不锈钢弹力轮　Stainless steel elastic rubber casters with nylon center　80mm-200mm

- Stainless steel housing
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
3.2"	80	32		100	106	9	105×90×2	80×60	2	D104-23D080×32
4"	100	33		150	128	9	105×90×2	80×60	2	D104-23D100×33
5"	125	36		200	153	9	105×90×2	80×60	2	D104-23D125×36
6.4"	160	45		320	197	11	140×115×3	105×80	3	D104-23D160×45
8"	200	50		350	240	11	140×115×3	105×80	3	D104-23D200×50



										CODE
3.2"	80	32		100	106	37.5	9	105×82.5×3	80×60	2.5	P104-23D080×32
4"	100	33		150	128	40	9	105×82.5×3	80×60	2.5	P104-23D100×33
5"	125	36		200	153	47	9	105×82.5×3	80×60	2.5	P104-23D125×36
6.4"	160	45		320	197	68	11	135×105×3	105×80	3	P104-23D160×45
8"	200	50		350	240	68	11	135×105×3	105×80	3	P104-23D200×50



										CODE
3.2"	80	32		100	106	37.5	9	105×82.5×3	80×60	2.5	P104-23D080×32S
4"	100	33		150	128	40	9	105×82.5×3	80×60	2.5	P104-23D100×33S
5"	125	36		200	153	47	9	105×82.5×3	80×60	2.5	P104-23D125×36S
6.4"	160	45		320	197	68	11	135×105×3	105×80	3	P104-23D160×45S
8"	200	50		350	240	68	11	135×105×3	105×80	3	P104-23D200×50S

不锈钢轮
Stainless steel casters series

不锈钢弹力轮　Stainless steel elastic rubber casters with nylon center　80mm-200mm

- Stainless steel housing
- Swivel bolt hole caster/Swivel bolt hole with brake caster



									CODE
3.2"	80	32		100	106	37.5	12.1	2.5	G104-23D080×32
4"	100	33		150	128	40	12.1	2.5	G104-23D100×33
5"	125	36		200	153	47	12.1	2.5	G104-23D125×36
6.4"	160	45		320	197	68	16.1	3	G104-23D160×45
8"	200	50		350	240	68	16.1	3	G104-23D200×50



									CODE
3.2"	80	32		100	106	37.5	12.1	2.5	G104-23D080×32S
4"	100	33		150	128	40	12.1	2.5	G104-23D100×33S
5"	125	36		200	153	47	12.1	2.5	G104-23D125×36S
6.4"	160	45		320	197	68	16.1	3	G104-23D160×45S
8"	200	50		350	240	68	16.1	3	G104-23D200×50S



尼龙芯弹力胶轮 / 滚针轴承
Wheel Code: 23D
Wheel tread is elastic rubber,
Wheel center is nylon,
Stainless steel roller bearing



尼龙芯弹力胶轮 / 轴套式
Wheel Code: 23C
Wheel tread is elastic rubber,
Wheel center is nylon,
Stainless steel plain bearing

不锈钢轮
Stainless steel casters series

不锈钢塑尼龙芯聚氨酯轮　Stainless steel polyurethane casters with nylon center　100mm-125mm

- Stainless steel housing
- Fixed plate caster/Swivel plate caster/Swivel plate with brake caster



										CODE
4"	100	30		120	128	9	105×90×2	80×60	2	D104-26E100×30
5"	125	32		150	153	9	105×90×2	80×60	2	D104-26E125×32



										CODE
4"	100	30		120	128	40	9	105×82.5×3	80×60	2.5	P104-26E100×30
5"	125	32		150	153	47	9	105×82.5×3	80×60	2.5	P104-26E125×32



										CODE
4"	100	30		120	128	40	9	105×82.5×3	80×60	2.5	P104-26E100×30S
5"	125	32		150	153	47	9	105×82.5×3	80×60	2.5	P104-26E125×32S



尼龙芯聚氨酯轮 / 滚珠轴承

Wheel Code: 26E

Wheel tread is polyurethane,
Wheel center is nylon,
Ball bearing

冲压支架重载轮
Heavy duty casters with pressed steel housing series

重载铝芯聚氨酯轮　Heavy duty polyurethan caster with aluminium center 125mm-250mm

- Steel housing with yellow zinc plating.
- Fixed type caster/Swivel plate caster/Swivel plate with total brake caster



										CODE
5"	125	50		500	166	12	135×110×3.5	105×80	3.5	D160-76F125×50
6"	150	50		800	194.5	12	135×110×3.5	105×80	3.5	D160-76F150×50
6.4"	160	50		800	199.5	12	135×110×3.5	105×80	3.5	D160-76F160×50
8"	200	50		800	241	12	135×110×3.5	105×80	3.5	D160-76F200×50
10"	250	50		800	291	12	135×110×3.5	105×80	3.5	D160-76F250×50



										CODE
5"	125	50		500	166	55	12	135×110×6	105×80	4.5	P160-76F125×50
6"	150	50		800	194.5	55	12	135×110×6	105×80	4.5	P160-76F150×50
6.4"	160	50		800	199.5	55	12	135×110×6	105×80	4.5	P160-76F160×50
8"	200	50		800	241	55	12	135×110×6	105×80	4.5	P160-76F200×50
10"	250	50		800	291	55	12	135×110×6	105×80	4.5	P160-76F250×50



										CODE
5"	125	50		500	166	55	12	135×110×6	105×80	4.5	P160-76F125×50S
6"	150	50		800	194.5	55	12	135×110×6	105×80	4.5	P160-76F150×50S
6.4"	160	50		800	199.5	55	12	135×110×6	105×80	4.5	P160-76F160×50S
8"	200	50		800	241	55	12	135×110×6	105×80	4.5	P160-76F200×50S
10"	250	50		800	291	55	12	135×110×6	105×80	4.5	P160-76F250×50S



铝芯聚氨酯轮 / 双滚珠轴承

Wheel Code: 76F

Wheel tread is polyurethane,
Wheel center is aluminium,
Double ball bearings

冲压支架重载轮
Heavy duty casters with pressed steel housing series

重载尼龙轮　Heavy duty nylon caster 125mm-200mm

- Steel housing with yellow zinc plating.
- Fixed type caster/Swivel plate caster/Swivel plate with total brake caster



				kg						CODE
5"	125	50		550	166	12	135×110×3.5	105×80	3.5	D160-20F125×50
6"	150	50		700	194.5	12	135×110×3.5	105×80	3.5	D160-20F150×50
8"	200	50		800	241	12	135×110×3.5	105×80	3.5	D160-20F200×50



				kg						CODE
5"	125	50		550	166	55	12	135×110×6	105×80	4.5	P160-20F125×50
6"	150	50		700	194.5	55	12	135×110×6	105×80	4.5	P160-20F150×50
8"	200	50		800	241	55	12	135×110×6	105×80	4.5	P160-20F200×50



				kg						CODE
5"	125	50		550	166	55	12	135×110×6	105×80	4.5	P160-20F125×50S
6"	150	50		700	194.5	55	12	135×110×6	105×80	4.5	P160-20F150×50S
8"	200	50		800	241	55	12	135×110×6	105×80	4.5	P160-20F200×50S



尼龙轮 / 双滚珠轴承
Wheel Code: 20F
Wheel made of
white nylon
Double ball bearings



尼龙轮 / 滚针轴承
Wheel Code: 20D
Wheel made of
white nylon
Roller bearing



尼龙轮 / 轴套式
Wheel Code: 20C
Wheel made of
white nylon
Plain bearing

冲压支架重载轮
Heavy duty casters with pressed steel housing series

重载尼龙芯聚氨酯轮　Heavy duty polyurethan caster with nylon center 125mm-200mm

- Steel housing with yellow zinc plating.
- Fixed type caster/Swivel plate caster/Swivel plate with total brake caster



				kg						CODE
5"	125	45		330	166	12	135×110×3.5	105×80	3.5	D160-26F125×45
6.4"	160	45		380	199.5	12	135×110×3.5	105×80	3.5	D160-26F160×45
8"	200	50		450	241	12	135×110×3.5	105×80	3.5	D160-26F200×50



				kg							CODE
5"	125	45		330	166	55	12	135×110×6	105×80	4.5	P160-26F125×45
6.4"	160	45		380	199.5	55	12	135×110×6	105×80	4.5	P160-26F160×45
8"	200	50		450	241	55	12	135×110×6	105×80	4.5	P160-26F200×50



				kg							CODE
5"	125	45		330	166	55	12	135×110×6	105×80	4.5	P160-26F125×45S
6.4"	160	45		380	199.5	55	12	135×110×6	105×80	4.5	P160-26F160×45S
8"	200	50		450	241	55	12	135×110×6	105×80	4.5	P160-26F200×50S



尼龙轮芯聚氨酯轮 / 双滚珠轴承
Wheel Code: 26F
Wheel tread is
polyurethane,
Wheel center is plastic,
Double ball bearings



尼龙轮芯聚氨酯轮 / 滚针轴承
Wheel Code: 26D
Wheel tread is
polyurethane,
Wheel center is plastic,
Roller bearing

冲压支架重载轮
Heavy duty casters with pressed steel housing series

重载钢芯弹力胶轮　Heavy duty elastic rubber caster with steel center 125mm-200mm

- Steel housing with zinc plating
- Fixed type caster/Swivel plate caster/Swivel plate with total brake caster



										CODE
5"	125	45		320	166	12	135×110×3.5	105×80	3.5	D160-13F125×45
6"	150	45		400	194.5	12	135×110×3.5	105×80	3.5	D160-13F150×45
8"	200	45		450	241	12	135×110×3.5	105×80	3.5	D160-13F200×45



										CODE
5"	125	45		320	166	55	12	135×110×6	105×80	4.5	P160-13F125×45
6"	150	45		400	194.5	55	12	135×110×6	105×80	4.5	P160-13F150×45
8"	200	45		450	241	55	12	135×110×6	105×80	4.5	P160-13F200×45



										CODE
5"	125	45		320	166	55	12	135×110×6	105×80	4.5	P160-13F125×45S
6"	150	45		400	194.5	55	12	135×110×6	105×80	4.5	P160-13F150×45S
8"	200	45		450	241	55	12	135×110×6	105×80	4.5	P160-13F200×45S



钢芯弹力胶轮 / 双滚珠轴承

Wheel Code: 13F

Wheel tread is
elastic rubber,
Wheel center is pressed steel,
Double ball bearings

冲压支架重载轮
With pressed steel housing series

重载铁芯聚氨酯轮 Heavy duty polyurethane caster with cast iron center 125mm-200mm

- Steel housing with zinc plating.
- Fixed type caster/Swivel plate caster/Swivel plate with total brake caster



										CODE
5"	125	50		450	166	12	135×110×3.5	105×80	3.5	D160-46F125×50
6"	150	50		500	194.5	12	135×110×3.5	105×80	3.5	D160-46F150×50
8"	200	50		550	241	12	135×110×3.5	105×80	3.5	D160-46F200×50



										CODE
5"	125	50		450	166	55	12	135×110×6	105×80	4.5	P160-46F125×50
6"	150	50		500	194.5	55	12	135×110×6	105×80	4.5	P160-46F150×50
8"	200	50		550	241	55	12	135×110×6	105×80	4.5	P160-46F200×50



										CODE
5"	125	50		450	166	55	12	135×110×6	105×80	4.5	P160-46F125×50S
6"	150	50		500	194.5	55	12	135×110×6	105×80	4.5	P160-46F150×50S
8"	200	50		550	241	55	12	135×110×6	105×80	4.5	P160-46F200×50S



铁芯聚氨酯轮 / 双滚珠轴承

Wheel Code: 46F

Wheel tread is
polyurethane,
Wheel center is cast iron,
Double ball bearings



铁芯聚氨酯轮 / 滚针轴承

Wheel Code: 46D

Wheel tread is
polyurethane,
Wheel center is cast iron,
Roller bearing

焊接支架重载轮
Heavy duty castors with welding steel housing series

重载塑料轮　Heavy duty plastic caster 100mm-200mm

- Welding steel housing with zinc plating
- Fixed type caster/Swivel plate caster



										CODE
4"	100	40		250	135	10	97×86×4	72×62	4	D740-20F100×40
5"	125	40		300	159	10	97×86×4	72×62	4	D740-20F125×40
6"	150	40		400	185	10	97×86×4	72×62	4	D740-20F150×40
8"	200	40		500	235	10	97×86×4	72×62	4	D740-20F200×40



											CODE
4"	100	40		250	135	25	10	97×86×4	72×62	4	P740-20F100×40
5"	125	40		300	159	29.5	10	97×86×4	72×62	4	P740-20F125×40
6"	150	40		400	185	35	10	97×86×4	72×62	4	P740-20F150×40
8"	200	40		500	235	45	10	97×86×4	72×62	4	P740-20F200×40



										CODE
4"	100	40		250	135	11	114×100×4	84×71	4	D741-20F100×40
5"	125	40		300	159	11	114×100×4	84×71	4	D741-20F125×40
6"	150	40		400	185	11	114×100×4	84×71	4	D741-20F150×40
8"	200	40		500	235	11	114×100×4	84×71	4	D741-20F200×40



											CODE
4"	100	40		250	135	25	11	114×100×4	84×71	4	P741-20F100×40
5"	125	40		300	159	29.5	11	114×100×4	84×71	4	P741-20F125×40
6"	150	40		400	185	35	11	114×100×4	84×71	4	P741-20F150×40
8"	200	40		500	235	45	11	114×100×4	84×71	4	P741-20F200×40



尼龙轮 / 双滚珠轴承
Wheel Code: 20F
Wheel made of
white nylon
Double ball bearings



塑料轮 / 双滚珠轴承
Wheel Code: 30F
Wheel made of
white polyamide
Double ball bearings

焊接支架重载轮
Heavy duty castors with welding steel housing series

重载压胶轮　Heavy duty black rubber caster with cast iron center 100mm-200mm

- Welding steel housing with zinc plating
- Fixed type caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



										CODE
4"	100	50		160	142	11	114×100×6	84×71	6	D701-42D100×50
5"	125	50		210	165	11	114×100×6	84×71	6	D701-42D125×50
6"	150	50		250	190	11	114×100×6	84×71	6	D701-42D150×50
8"	200	50		300	240	11	114×100×6	84×71	6	D701-42D200×50



											CODE
4"	100	50		160	142	32	11	114×100×6	84×71	6	P701-42D100×50
5"	125	50		210	165	36	11	114×100×6	84×71	6	P701-42D125×50
6"	150	50		250	190	41	11	114×100×6	84×71	6	P701-42D150×50
8"	200	50		300	240	52	11	114×100×6	84×71	6	P701-42D200×50



											CODE
4"	100	50		160	142	32	11	114×100×6	84×71	6	P701-42D100×50Z
5"	125	50		210	165	36	11	114×100×6	84×71	6	P701-42D125×50Z
6"	150	50		250	190	41	11	114×100×6	84×71	6	P701-42D150×50Z
8"	200	50		300	240	52	11	114×100×6	84×71	6	P701-42D200×50Z



											CODE
4"	100	50		160	142	32	11	114×100×6	84×71	6	P701-42D100×50S
5"	125	50		210	165	36	11	114×100×6	84×71	6	P701-42D125×50S
6"	150	50		250	190	41	11	114×100×6	84×71	6	P701-42D150×50S
8"	200	50		300	240	52	11	114×100×6	84×71	6	P701-42D200×50S



铁芯压胶轮 / 滚针轴承
Wheel Code: 42D
Wheel tread is
solid rubber,
Wheel center is cast iron,
Roller bearing



铁芯压胶轮 / 滚珠轴承
Wheel Code: 42F
Wheel tread is
solid rubber,
Wheel center is cast iron,
Ball bearing

焊接支架重载轮
Heavy duty castors with welding steel housing series

重载弹性体轮 Heavy duty thermoplastic rubber caster with plastic center 100mm-200mm

- Welding steel housing with zinc plating
- Fixed type caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



				kg						CODE
4"	100	45		200	142	11	114×100×6	84×71	6	D701-34D100×45
5"	125	45		250	165	11	114×100×6	84×71	6	D701-34D125×45
6.4"	160	45		300	195	11	114×100×6	84×71	6	D701-34D160×45
8"	200	50		350	240	11	114×100×6	84×71	6	D701-34D200×50



				kg						CODE
4"	100	45		200	142	32	11	114×100×6	84×71	6	P701-34D100×45
5"	125	45		250	165	36	11	114×100×6	84×71	6	P701-34D125×45
6.4"	160	45		300	195	41	11	114×100×6	84×71	6	P701-34D160×45
8"	200	50		350	240	52	11	114×100×6	84×71	6	P701-34D200×50



				kg						CODE
4"	100	45		200	142	32	11	114×100×6	84×71	6	P701-34D100×45Z
5"	125	45		250	165	36	11	114×100×6	84×71	6	P701-34D125×45Z
8"	200	50		350	240	52	11	114×100×6	84×71	6	P701-34D200×50Z



				kg						CODE
4"	100	45		200	142	32	11	114×100×6	84×71	6	P701-34D100×45S
5"	125	45		250	165	36	11	114×100×6	84×71	6	P701-34D125×45S
6.4"	160	45		300	195	41	11	114×100×6	84×71	6	P701-34D160×45S
8"	200	50		350	240	52	11	114×100×6	84×71	6	P701-34D200×50S



塑芯 TPR 轮 / 滚针轴承
Wheel Code: 34D
Wheel tread is thermoplastic rubber, Wheel center is plastic, Roller bearing



塑芯 TPR 轮 / 双滚珠轴承
Wheel Code: 34F
Wheel tread is thermoplastic rubber, Wheel center is plastic, Double ball bearings

焊接支架重载轮
Heavy duty castors with welding steel housing series

重载尼龙芯聚氨酯轮 Heavy duty polyurethane caster with nylon center 100mm-200mm

- Welding steel housing with zinc plating
- Fixed type caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



				kg						CODE
4"	100	45		280	142	11	114×100×6	84×71	6	D701-26D100×45
5"	125	45		330	165	11	114×100×6	84×71	6	D701-26D125×45
6.4"	160	45		380	195	11	114×100×6	84×71	6	D701-26D160×45
8"	200	50		450	240	11	114×100×6	84×71	6	D701-26D200×50



				kg						CODE
4"	100	45		280	142	32	11	114×100×6	84×71	6	P701-26D100×45
5"	125	45		330	165	36	11	114×100×6	84×71	6	P701-26D125×45
6.4"	160	45		380	195	41	11	114×100×6	84×71	6	P701-26D160×45
8"	200	50		450	240	52	11	114×100×6	84×71	6	P701-26D200×50



				kg						CODE
4"	100	45		280	142	32	11	114×100×6	84×71	6	P701-26D100×45Z
5"	125	45		330	165	36	11	114×100×6	84×71	6	P701-26D125×45Z
8"	200	50		450	240	52	11	114×100×6	84×71	6	P701-26D200×50Z



				kg						CODE
4"	100	45		280	142	32	11	114×100×6	84×71	6	P701-26D100×45S
5"	125	45		330	165	36	11	114×100×6	84×71	6	P701-26D125×45S
6.4"	160	45		380	195	41	11	114×100×6	84×71	6	P701-26D160×45S
8"	200	50		450	240	52	11	114×100×6	84×71	6	P701-26D200×50S



尼龙芯聚氨酯轮 / 滚针轴承
Wheel Code: 26D
Wheel tread is polyurethane, Wheel center is nylon, Roller bearing



尼龙芯聚氨酯轮 / 双滚珠轴承
Wheel Code: 26F
Wheel tread is polyurethane, Wheel center is nylon, Double ball bearings

焊接支架重载轮
Heavy duty castors with welding steel housing series

重载钢芯黑胶轮 Heavy duty black rubber caster with steel center 100mm-200mm

- Welding steel housing with zinc plating
- Fixed type caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



				kg						CODE
4"	100	45		200	142	11	114×100×6	84×71	6	D701-11F100×45
5"	125	45		250	165	11	114×100×6	84×71	6	D701-11F125×45
6"	150	45		300	190	11	114×100×6	84×71	6	D701-11F150×45
8"	200	45		350	240	11	114×100×6	84×71	6	D701-11F200×45



				kg						CODE
4"	100	45		200	142	32	11	114×100×6	84×71	6	P701-11F100×45
5"	125	45		250	165	36	11	114×100×6	84×71	6	P701-11F125×45
6"	150	45		300	190	41	11	114×100×6	84×71	6	P701-11F150×45
8"	200	45		350	240	52	11	114×100×6	84×71	6	P701-11F200×45



				kg						CODE
4"	100	45		200	142	32	11	114×100×6	84×71	6	P701-11F100×45Z
5"	125	45		250	165	36	11	114×100×6	84×71	6	P701-11F125×45Z
6"	150	45		300	190	41	11	114×100×6	84×71	6	P701-11F150×45Z
8"	200	45		350	240	52	11	114×100×6	84×71	6	P701-11F200×45Z



				kg						CODE
4"	100	45		200	142	32	11	114×100×6	84×71	6	P701-11F100×45S
5"	125	45		250	165	36	11	114×100×6	84×71	6	P701-11F125×45S
6"	150	45		300	190	41	11	114×100×6	84×71	6	P701-11F150×45S
8"	200	45		350	240	52	11	114×100×6	84×71	6	P701-11F200×45S



钢芯黑胶轮 / 双滚珠轴承

Wheel Code: 11F

Wheel tread is
solid rubber,
Wheel center is steel,
Double ball bearings

焊接支架重载轮
Heavy duty castors with welding steel housing series

重载铁芯聚氨酯轮 Heavy duty polyurethane caster with cast iron center 100mm-200mm

- Welding steel housing with zinc plating
- Fixed type caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



				kg						CODE
4"	100	50		400	142	11	114×100×6	84×71	6	D701-46D100×50
5"	125	50		450	165	11	114×100×6	84×71	6	D701-46D125×50
6"	150	50		500	190	11	114×100×6	84×71	6	D701-46D150×50
8"	200	50		550	240	11	114×100×6	84×71	6	D701-46D200×50



				kg						CODE
4"	100	50		400	142	32	11	114×100×6	84×71	6	P701-46D100×50
5"	125	50		450	165	36	11	114×100×6	84×71	6	P701-46D125×50
6"	150	50		500	190	41	11	114×100×6	84×71	6	P701-46D150×50
8"	200	50		550	240	52	11	114×100×6	84×71	6	P701-46D200×50



				kg						CODE
4"	100	50		400	142	32	11	114×100×6	84×71	6	P701-46D100×50Z
5"	125	50		450	165	36	11	114×100×6	84×71	6	P701-46D125×50Z
6"	150	50		500	190	41	11	114×100×6	84×71	6	P701-46D150×50Z
8"	200	50		550	240	52	11	114×100×6	84×71	6	P701-46D200×50Z



				kg						CODE
4"	100	50		400	142	32	11	114×100×6	84×71	6	P701-46D100×50S
5"	125	50		450	165	36	11	114×100×6	84×71	6	P701-46D125×50S
6"	150	50		500	190	41	11	114×100×6	84×71	6	P701-46D150×50S
8"	200	50		550	240	52	11	114×100×6	84×71	6	P701-46D200×50S



铁芯聚氨酯轮 / 滚针轴承

Wheel Code: 46D

Wheel tread is
polyurethane,
Wheel center is cast iron,
Roller bearing

焊接支架重载轮
Heavy duty castors with welding steel housing series

重载塑料轮　Heavy duty polyamide caster 100mm-200mm

- Welding steel housing with zinc plating
- Fixed type caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



				kg						CODE
4"	100	50		200	142	11	114×100×6	84×71	6	D701-30D100×50
5"	125	50		250	165	11	114×100×6	84×71	6	D701-30D125×50
6"	150	50		300	190	11	114×100×6	84×71	6	D701-30D150×50
8"	200	50		400	240	11	114×100×6	84×71	6	D701-30D200×50



				kg						CODE
4"	100	50		200	142	32	11	114×100×6	84×71	6	P701-30D100×50
5"	125	50		250	165	36	11	114×100×6	84×71	6	P701-30D125×50
6"	150	50		300	190	41	11	114×100×6	84×71	6	P701-30D150×50
8"	200	50		400	240	52	11	114×100×6	84×71	6	P701-30D200×50



				kg						CODE
4"	100	50		200	142	32	11	114×100×6	84×71	6	P701-30D100×50Z
5"	125	50		250	165	36	11	114×100×6	84×71	6	P701-30D125×50Z
6"	150	50		300	190	41	11	114×100×6	84×71	6	P701-30D150×50Z
8"	200	50		400	240	52	11	114×100×6	84×71	6	P701-30D200×50Z



				kg						CODE
4"	100	50		200	142	32	11	114×100×6	84×71	6	P701-30D100×50S
5"	125	50		250	165	36	11	114×100×6	84×71	6	P701-30D125×50S
6"	150	50		300	190	41	11	114×100×6	84×71	6	P701-30D150×50S
8"	200	50		400	240	52	11	114×100×6	84×71	6	P701-30D200×50S



塑料轮 / 滚针轴承
Wheel Code: 30D
Wheel made of white polyamide
Roller bearing



尼龙轮 / 滚针轴承
Wheel Code: 20D
Wheel made of white nylon
Roller bearing



塑料轮 / 双滚珠轴承
Wheel Code: 30F
Wheel made of white polyamide
Double ball bearings

焊接支架重载轮
Heavy duty castors with welding steel housing series

重载酚醛轮　Heavy duty heat resisting caster 100mm-200mm

- Welding steel housing with zinc plating
- Fixed type caster/Swivel plate caster/Swivel plate with single brake caster/Swivel plate with total brake caster



				kg						CODE
4"	100	50		320	142	11	114×100×6	84×71	6	D701-61D100×50
5"	125	50		400	165	11	114×100×6	84×71	6	D701-61D125×50
6"	150	50		550	190	11	114×100×6	84×71	6	D701-61D150×50
8"	200	50		700	240	11	114×100×6	84×71	6	D701-61D200×50



				kg						CODE
4"	100	50		320	142	32	11	114×100×6	84×71	6	P701-61D100×50
5"	125	50		400	165	36	11	114×100×6	84×71	6	P701-61D125×50
6"	150	50		550	190	41	11	114×100×6	84×71	6	P701-61D150×50
8"	200	50		700	240	52	11	114×100×6	84×71	6	P701-61D200×50



				kg						CODE
4"	100	50		320	142	32	11	114×100×6	84×71	6	P701-61D100×50Z
5"	125	50		400	165	36	11	114×100×6	84×71	6	P701-61D125×50Z
6"	150	50		550	190	41	11	114×100×6	84×71	6	P701-61D150×50Z
8"	200	50		700	240	52	11	114×100×6	84×71	6	P701-61D200×50Z



				kg						CODE
4"	100	50		320	142	32	11	114×100×6	84×71	6	P701-61D100×50S
5"	125	50		400	165	36	11	114×100×6	84×71	6	P701-61D125×50S
6"	150	50		550	190	41	11	114×100×6	84×71	6	P701-61D150×50S
8"	200	50		700	240	52	11	114×100×6	84×71	6	P701-61D200×50S



酚醛轮 / 滚针轴承
Wheel Code: 61D
Wheel made of bakelite, heat resisting 1400c
Roller bearing

其它系列脚轮
Casters for other type series

脚手架轮 Scaffold casters 160mm-200mm

- Steel housing with zinc plating
- Swivel pipe with brake caster



										CODE
6.4"	160	45		155	193	44	35	136.5	2.5	C150-11D160×45IS
8"	200	50		190	233	56	35	136.5	2.5	C150-11D200×50IS



										CODE
6.4"	160	45		155	193	44	50	117	2.5	C150-11D160×45S
8"	200	50		190	233	56	50	117	2.5	C150-11D200×50S



										CODE
6.4"	160	45		155	193	44	35	136.5	2.5	C150-11F160×45IS
8"	200	45		190	233	56	35	136.5	2.5	C150-11F200×45IS



										CODE
6.4"	160	45		155	193	44	50	117	2.5	C150-11F160×45S
8"	200	45		190	233	56	50	117	2.5	C150-11F200×45S



钢芯黑胶轮 / 滚针轴承
Wheel Code: 11D
Wheel tread is black rubber, Wheel center is steel, Roller bearing



钢芯黑胶轮 / 双滚珠轴承
Wheel Code: 11F
Wheel tread is solid rubber, Wheel center is steel, Double ball bearings



尼芯聚氨酯轮 / 滚针轴承
Wheel Code: 26D
Wheel tread is TPU, Wheel center is nylon, Roller bearing

UNIONLEVER

其它系列脚轮
Casters for other type series

脚手架轮 Scaffold casters 150mm-200mm

- Welding steel housing with zinc plating
- Swivel solid pipe with brake caster



										CODE
6"	150	50		500	190	41	35	100	6	C701-46D150×50S
8"	200	50		600	240	52	35	100	6	C701-46D200×50S



铁芯聚氨酯轮 / 滚针轴承
Wheel Code: 46D
Wheel tread is polyurethane, Wheel center is cast iron, Roller bearing



铁芯聚氨酯轮 / 双滚珠轴承
Wheel Code: 46F
Wheel tread is polyurethane, Wheel center is cast iron, Double ball bearings



铁芯压胶轮 / 滚针轴承
Wheel Code: 42D
Wheel tread is solid rubber, Wheel center is cast iron, Roller bearing



钢芯黑胶轮 / 双滚珠轴承
Wheel Code: 11F
Wheel tread is solid rubber, Wheel center is steel, Double ball bearings

其它系列脚轮
Casters for other type series

充气轮 Pneumatic wheel 200mm-260mm

- Welding steel housing with zinc plating
- Fixed plate caster/Swivel plate caster



											CODE
8"	200	60	⊠⊠	120	255	11	114×100×6	84×71	6	D760-15F200×60
10"	260	70	⊠⊠	150	300	11	114×100×6	84×71	6	D760-15F260×70



											CODE
8"	200	60	⊠⊠	120	255	51.5	11	114×100×6	84×71	6	P760-15F200×60
10"	260	70	⊠⊠	150	300	57	11	114×100×6	84×71	6	P760-15F260×70



钢芯黑胶轮 / 双滚珠轴承
Wheel Code: 15F
Wheel tread is pneumatic rubber, Wheel center is pressed steel, Double ball bearings



塑芯黑胶轮 / 滚针轴承
Wheel Code: 31D
Wheel tread is pneumatic rubber, Wheel center is plastic, Roller bearing

其它系列脚轮
Casters for other type series

超重载铁芯聚氨酯轮 Super heavy duty polyurethane caster with cast iron center 150mm-200mm

- Welding steel housing with paint coating
- Fixed type caster/Swivel plate caster/Swivel plate with brake caster



										CODE
6"	150	50	▬	800	205	13	142×110×10	110×73	8	D770-46F150×50
8"	200	50	▬	1000	258	13	142×110×10	110×73	8	D770-46F200×50



											CODE
6"	150	50	▬	800	205	45	13	142×110×10	110×73	8	P770-46F150×50
8"	200	50	▬	1000	258	45	13	142×110×10	110×73	8	P770-46F200×50



											CODE
6"	150	50	▬	800	205	45	13	142×110×10	110×73	8	P770-46F150×50Z
8"	200	50	▬	1000	258	45	13	142×110×10	110×73	8	P770-46F200×50Z



铁芯聚氨酯轮 / 双滚珠轴承
Wheel Code: 46F
Wheel tread is polyurethane, Wheel center is cast iron, Double ball bearings

其它系列脚轮
Casters for other type series

铁芯聚氨酯减震轮　Polyurethane castors for shock absorbing　150mm-200mm

- Welding steel housing with zinc plating
- Fixed type caster/Swivel plate caster/Swivel plate with brake caster



				kg							CODE
6"	150	50		400	206	50	14	160×114×6	130×75	6	D790-46F150×50A
8"	200	50		400	246	50	14	160×114×6	130×75	6	D790-46F200×50A



				kg							CODE
6"	150	50		400	206	50	14	160×114×6	130×75	6	P790-46F150×50A
8"	200	50		400	246	50	14	160×114×6	130×75	6	P790-46F200×50A



				kg							CODE
6"	150	50		400	206	50	14	160×114×6	130×75	6	P790-46F150×50AZ
8"	200	50		400	246	50	14	160×114×6	130×75	6	P790-46F200×50AZ



铁芯聚氨酯轮 / 双滚珠轴承

Wheel Code: 46F


Wheel tread is
polyurethane,
Wheel center is cast iron,
Double ball bearings











小图标信息
Small Icon Information

